

"G" Green indicates full, production tested support.

"Y" Yellow indicates preliminary, beta support, not production tested.

Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.

"R" Red indicates no support for this device.

Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.

Device Support 2012-07-03 1241 devices	RR	RI	IC	IC	PP	PP	PP	PP	SM	SM	SM	MP	C	C	d	C	C	X	X	X	P	P	P	P
	IC	IC	CD	DD	KK	KK	KK	KK	MM	MM	MM	PA	1	2	s	3	3	C	C	C	IC	IC	IC	IC
	DP	DP	DP	DP	DP	DP	DP	DP	SA	SA	SA	SM	8	4	PIC	0	2	8	16	32	CC	18	18	PRO
rfPIC12F675K	R	R	R	R	R	R	R	R	G	R	R	3.90	R	R	R	R	R	R	R	R	9.70	R	R	R
rfPIC12F675H	R	R	R	R	R	R	R	R	G	R	R	3.90	R	R	R	R	R	R	R	R	9.70	R	R	R
rfPIC12F675F	R	R	R	R	R	R	R	R	G	R	R	3.90	R	R	R	R	R	R	R	R	9.70	R	R	R
rfPIC12C509AG	R	R	R	R	R	R	R	R	G	R	R	3.90	R	R	R	R	R	R	R	R	R	R	R	R
rfPIC12C509AF	R	R	R	R	R	R	R	R	G	R	R	3.90	R	R	R	R	R	R	R	R	R	R	R	R
dsPIC33FJ64MC804	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ64MC802	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ64MC710A	G	G	G	G	R	R	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ64MC710	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ64MC706A	G	G	G	G	R	R	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ64MC706	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ64MC510A	G	G	G	G	R	R	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ64MC510	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ64MC508A	G	G	G	G	R	R	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ64MC508	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ64MC506A	G	G	G	G	R	R	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ64MC506	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ64MC204	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ64MC202	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ64GS610	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R	R
dsPIC33FJ64GS608	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R	R
dsPIC33FJ64GS606	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R	R
dsPIC33FJ64GS406	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R	R
dsPIC33FJ64GP804	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ64GP802	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ64GP710A	G	G	G	G	R	R	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ64GP710	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ64GP708A	G	G	G	G	R	R	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ64GP708	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ64GP706A	G	G	G	G	R	R	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ64GP706	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ64GP310A	G	G	G	G	R	R	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ64GP310	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ64GP306A	G	G	G	G	R	R	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ64GP306	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ64GP206A	G	G	G	G	R	R	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ64GP206	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ64GP204	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ64GP202	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ32MC304	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ32MC302	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ32MC204	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ32MC202	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R	R	R
dsPIC33FJ32MC104	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	R	R	R	1.00	R	R	R	R	R	R

"G" Green indicates full, production tested support.

"Y" Yellow indicates preliminary, beta support, not production tested.

Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.

"R" Red indicates no support for this device.

Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.

Device Support 2012-07-03 1241 devices	RR	RI	IC	CC	PP	PP	PP	PP	SM	SM	M	P	C	C	d	C	C	X	X	X	P	P	P
	IC	IC	CD	CD	KK	KK	KK	KK	SM	SM													
	EE	DD	DD	DD	2	2	3	3	3	3													
	DP	DP	DP	DP	D	P	P	P	P	A	S	S	1	2	P	0	2	8	6	2	C	C	
dsPIC33FJ32MC102	Y	Y	Y	Y	R	R	R	Y	Y	Y	Y	R	R	R	R	R	R	R	1.00	R	R	R	R
dsPIC33FJ32MC101	Y	Y	Y	Y	R	R	R	Y	R	Y	Y	R	R	R	R	R	R	R	1.00	R	R	R	R
dsPIC33FJ32GS610	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ32GS608	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ32GS606	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ32GS406	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ32GP304	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R
dsPIC33FJ32GP302	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R
dsPIC33FJ32GP204	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R
dsPIC33FJ32GP202	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R
dsPIC33FJ32GP104	Y	Y	Y	Y	R	R	R	Y	R	Y	Y	R	R	R	R	R	R	R	1.00	R	R	R	R
dsPIC33FJ32GP102	Y	Y	Y	Y	R	R	R	Y	R	Y	Y	R	R	R	R	R	R	R	1.00	R	R	R	R
dsPIC33FJ32GP101	Y	Y	Y	Y	R	R	R	Y	R	Y	Y	R	R	R	R	R	R	R	1.00	R	R	R	R
dsPIC33FJ256MC710A	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ256MC710	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ256MC510A	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ256MC510	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ256GP710A	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ256GP710	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ256GP510A	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ256GP510	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ256GP506A	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ256GP506	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ16MC304	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R
dsPIC33FJ16MC102	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30	3.30	R	R	1.00	R	R	R	R
dsPIC33FJ16MC101	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30	3.30	R	R	1.00	R	R	R	R
dsPIC33FJ16GS504	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.10.B	3.10.B	R	R	1.00	R	R	R	R
dsPIC33FJ16GS502	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.10.B	3.10.B	R	R	1.00	R	R	R	R
dsPIC33FJ16GS404	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.10.B	3.10.B	R	R	1.00	R	R	R	R
dsPIC33FJ16GS402	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.10.B	3.10.B	R	R	1.00	R	R	R	R
dsPIC33FJ16GP304	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R
dsPIC33FJ16GP102	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30	3.30	R	R	1.00	R	R	R	R
dsPIC33FJ16GP101	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30	3.30	R	R	1.00	R	R	R	R
dsPIC33FJ12MC202	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ12MC201	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ12GP202	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ12GP201	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ128MC804	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R
dsPIC33FJ128MC802	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R
dsPIC33FJ128MC710A	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ128MC710	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ128MC708A	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ128MC708	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ128MC706A	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ128MC706	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R

"G" Green indicates full, production tested support.

"Y" Yellow indicates preliminary, beta support, not production tested.

Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.

"R" Red indicates no support for this device.

Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.

Device Support 2012-07-03 1241 devices	RI	RI	IC	IC	PP	PP	PP	PP	SM	SM	MPASM	C18	C24	dsPIC	C30	C32	XC8	XC16	XC32	PICC	PICC18STD	PICC18PRO	
	EE	DD	DD	DD	22	22	33	33	33	33													33
dsPIC33FJ128MC510A	G	G	G	G	R	R	G	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ128MC510	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ128MC506A	G	G	G	G	R	R	G	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ128MC506	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R
dsPIC33FJ128MC204	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ128MC202	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R
dsPIC33FJ128GP804	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R
dsPIC33FJ128GP802	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R
dsPIC33FJ128GP710A	G	G	G	G	R	R	G	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ128GP710	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ128GP708A	G	G	G	G	R	R	G	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ128GP708	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ128GP706A	G	G	G	G	R	R	G	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ128GP706	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ128GP310A	G	G	G	G	R	R	G	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ128GP310	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ128GP306A	G	G	G	G	R	R	G	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ128GP306	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ128GP206A	G	G	G	G	R	R	G	G	G	G	Y	R	R	R	3.12	3.12	R	R	1.00	R	R	R	R
dsPIC33FJ128GP206	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC33FJ128GP204	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R
dsPIC33FJ128GP202	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.02	3.02	R	R	1.00	R	R	R	R
dsPIC33FJ09GS302	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33FJ06GS202A	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33FJ06GS202	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.10.B	3.10.B	R	R	1.00	R	R	R	R
dsPIC33FJ06GS102A	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33FJ06GS102	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.10.B	3.10.B	R	R	1.00	R	R	R	R
dsPIC33FJ06GS101A	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33FJ06GS101	G	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.10.B	3.10.B	R	R	1.00	R	R	R	R
dsPIC33FJ06GS001	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R
dsPIC33EP64MC506	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30.B	3.30.B	R	R	1.00	R	R	R	R
dsPIC33EP64MC504	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30.B	3.30.B	R	R	1.00	R	R	R	R
dsPIC33EP64MC503	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30.B	3.30.B	R	R	1.00	R	R	R	R
dsPIC33EP64MC502	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30.B	3.30.B	R	R	1.00	R	R	R	R
dsPIC33EP64MC206	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30.B	3.30.B	R	R	1.00	R	R	R	R
dsPIC33EP64MC204	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30.B	3.30.B	R	R	1.00	R	R	R	R
dsPIC33EP64MC203	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30.B	3.30.B	R	R	1.00	R	R	R	R
dsPIC33EP64MC202	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30.B	3.30.B	R	R	1.00	R	R	R	R
dsPIC33EP64GP506	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30.B	3.30.B	R	R	1.00	R	R	R	R
dsPIC33EP64GP504	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30.B	3.30.B	R	R	1.00	R	R	R	R
dsPIC33EP64GP503	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30.B	3.30.B	R	R	1.00	R	R	R	R
dsPIC33EP64GP502	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30.B	3.30.B	R	R	1.00	R	R	R	R
dsPIC33EP512MU814	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30	3.30	R	R	1.00	R	R	R	R
dsPIC33EP512MU810	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.30	3.30	R	R	1.00	R	R	R	R
dsPIC33EP512MC806	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R

"G" Green indicates full, production tested support.

"Y" Yellow indicates preliminary, beta support, not production tested.

Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.

"R" Red indicates no support for this device.

Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.

Device Support 2012-07-03 1241 devices	RR	RI	IC	CC	PP	PP	PP	PP	SM	SM	MP	PA	SM	C	C	d	C	C	X	X	X	P	P	P	P
	IC	IC	CC	DD	22	22	33	33	33	33	AS	AS	AS	18	24	SPIC	30	32	32	32	32	IC	IC	IC	IC
	EE	DD	DD	DD	DP	DP	DP	DP	SA	SA	SM	SM	SM	8	4	I	0	2	8	16	32	CC	CC	CC	CC
	DP	DP	DP	DP	DP	DP	DP	DP	A	A	M	M	M			C									
dsPIC33EP512MC506	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	Y	R	R	R	R	R	R	R	1.00	R	R	R	R	
dsPIC33EP512MC504	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	Y	R	R	R	R	R	R	R	1.00	R	R	R	R	
dsPIC33EP512MC502	R	R	R	R	R	R	R	R	R	Y	Y	Y	R	R	R	R	R	R	R	1.00	R	R	R	R	
dsPIC33EP512MC206	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	Y	R	R	R	R	R	R	R	1.00	R	R	R	R	
dsPIC33EP512MC204	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	Y	R	R	R	R	R	R	R	1.00	R	R	R	R	
dsPIC33EP512MC202	R	R	R	R	R	R	R	R	R	Y	Y	Y	R	R	R	R	R	R	R	1.00	R	R	R	R	
dsPIC33EP512GP806	G	G	G	G	R	R	G	G	G	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R	
dsPIC33EP512GP506	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	Y	R	R	R	R	R	R	R	1.00	R	R	R	R	
dsPIC33EP512GP504	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	Y	R	R	R	R	R	R	R	1.00	R	R	R	R	
dsPIC33EP512GP502	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	Y	R	R	R	R	R	R	R	1.00	R	R	R	R	
dsPIC33EP32MC504	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R	
dsPIC33EP32MC503	R	R	R	R	R	R	R	R	R	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R	
dsPIC33EP32MC502	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R	
dsPIC33EP32MC204	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R	
dsPIC33EP32MC203	R	R	R	R	R	R	R	R	R	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R	
dsPIC33EP32MC202	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R	
dsPIC33EP32GP504	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R	
dsPIC33EP32GP503	R	R	R	R	R	R	R	R	R	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R	
dsPIC33EP32GP502	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R	
dsPIC33EP256MU814	G	G	G	G	R	R	G	G	G	Y	Y	Y	R	R	R	3.30	3.30	R	R	1.00	R	R	R	R	
dsPIC33EP256MU810	G	G	G	G	R	R	G	G	G	Y	Y	Y	R	R	R	3.30	3.30	R	R	1.00	R	R	R	R	
dsPIC33EP256MU806	G	G	G	G	R	R	G	G	G	Y	Y	Y	R	R	R	3.30	3.30	R	R	1.00	R	R	R	R	
dsPIC33EP256MC506	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R	
dsPIC33EP256MC504	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R	
dsPIC33EP256MC502	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R	
dsPIC33EP256MC206	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R	
dsPIC33EP256MC204	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R	
dsPIC33EP256MC202	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R	
dsPIC33EP256GP506	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R	
dsPIC33EP256GP504	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R	
dsPIC33EP256GP502	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R	
dsPIC33EP128MC506	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R	
dsPIC33EP128MC504	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R	
dsPIC33EP128MC502	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R	
dsPIC33EP128MC206	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R	
dsPIC33EP128MC204	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R	
dsPIC33EP128MC202	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R	
dsPIC33EP128GP506	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R	
dsPIC33EP128GP504	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R	
dsPIC33EP128GP502	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	Y	R	R	R	3.31	3.31	R	R	1.00	R	R	R	R	
dsPIC30F6015	G	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R	
dsPIC30F6014A	G	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R	
dsPIC30F6014	G	G	G	G	R	R	G	G	G	G	Y	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R	
dsPIC30F6013A	G	G	G	G	G	G	G	G	G	G	Y	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R	
dsPIC30F6013	G	G	G	G	R	R	G	G	G	G	Y	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R	

"G" Green indicates full, production tested support.

"Y" Yellow indicates preliminary, beta support, not production tested.

Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.

"R" Red indicates no support for this device.

Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.

Device Support 2012-07-03 1241 devices	RI CC EE DP	RI CC DD DP	II CC DD DP	PP KK 22 DP	PP KK 33 DP	PP KK 33 DP	PM 3	SI MI SA	SI MI SP	MP AS SM	C 1 8	C 2 4	ds PIC	C 3 0	C 3 2	X C 8	X C 1 6	X C 3 2	P I C C	P I C C 1 8 S T D	P I C C 1 8 P R O	
dsPIC30F6012A	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F6012	G	G	G	R	R	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F6011A	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F6011	G	G	G	R	R	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F6010A	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F6010	G	G	G	R	R	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F5016	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F5015	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F5013	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F5011	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F4013	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F4012	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F4011	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F3014	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F3013	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F3012	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F3011	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F3010	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F2023	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F2020	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F2012	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F2011	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F2010	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
dsPIC30F1010	G	G	G	G	G	G	G	G	G	Y	R	R	R	3.23	3.23	R	R	1.00	R	R	R	R
SST25VF040B	R	R	R	R	R	R	R	Y	R	R	R	R	R	R	R	R	R	R	R	R	R	R
PS810	R	R	R	R	R	R	R	Y	R	R	3.90	3.35	R	R	R	R	R	R	R	R	R	R
PS500	R	R	R	R	R	R	R	Y	R	R	3.90	3.35	R	R	R	R	R	R	R	R	R	R
PS200	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R
PIC32MX795F512L	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.05	R	R	1.00	R	R	R	R
PIC32MX795F512H	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.05	R	R	1.00	R	R	R	R
PIC32MX775F512L	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R	R
PIC32MX775F512H	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R	R
PIC32MX775F256L	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R	R
PIC32MX775F256H	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R	R
PIC32MX764F128L	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R	R
PIC32MX764F128H	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R	R
PIC32MX695F512L	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.10	R	R	1.00	R	R	R	R
PIC32MX695F512H	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.10	R	R	1.00	R	R	R	R
PIC32MX675F512L	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.05	R	R	1.00	R	R	R	R
PIC32MX675F512H	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.05	R	R	1.00	R	R	R	R
PIC32MX675F256L	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R	R
PIC32MX675F256H	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R	R
PIC32MX664F128L	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R	R
PIC32MX664F128H	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R	R
PIC32MX664F064L	G	G	G	R	R	G	G	Y	Y	R	R	R	R	R	1.11	R	R	1.00	R	R	R	R

"G" Green indicates full, production tested support.

"Y" Yellow indicates preliminary, beta support, not production tested.

Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.

"R" Red indicates no support for this device.

Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.

Device Support 2012-07-03 1241 devices	RR	RI	IC	IC	PP	PP	PP	PP	SI	SI	M	C	C	d	C	C	X	X	X	P	P	P	P		
	IC	IC	CD	CD	22	22	33	33	MI	MI	PA	18	24	sPIC	30	32	C8	C16	C32	PICC	PIC18	PIC18	PIC18		
	DD	DD	DD	DD	DP	DP	DP	3P	ISA	ISP	ASM	8	4	PIC	0	2	8	16	32	CC	STD	PRO			
PIC32MX664F064H	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX575F512L	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	1.05	R	R	1.00	R	R	R
PIC32MX575F512H	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	1.05	R	R	1.00	R	R	R
PIC32MX575F256L	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	1.10	R	R	1.00	R	R	R
PIC32MX575F256H	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	1.10	R	R	1.00	R	R	R
PIC32MX564F128L	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX564F128H	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX564F064L	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX564F064H	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX534F064L	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX534F064H	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX460F512L	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX460F256L	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX440F512H	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	1.02	R	R	1.00	R	R	R
PIC32MX440F256H	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX440F128L	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX440F128H	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	1.02	R	R	1.00	R	R	R
PIC32MX420F032H	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	1.02	R	R	1.00	R	R	R
PIC32MX360F512L	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX360F256L	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX340F512H	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	1.02	R	R	1.00	R	R	R
PIC32MX340F256H	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX340F128L	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	1.02	R	R	1.00	R	R	R
PIC32MX340F128H	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	1.02	R	R	1.00	R	R	R
PIC32MX320F128L	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX320F128H	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX320F064H	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX320F032H	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	1.11	R	R	1.00	R	R	R
PIC32MX250F128D	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	2.02	R	R	1.00	R	R	R
PIC32MX250F128C	R	R	R	R	R	R	R	R	R	Y	Y	R	R	R	R	R	R	R	2.02	R	R	1.00	R	R	R
PIC32MX250F128B	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	2.02	R	R	1.00	R	R	R
PIC32MX230F064D	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	2.02	R	R	1.00	R	R	R
PIC32MX230F064C	R	R	R	R	R	R	R	R	R	Y	Y	R	R	R	R	R	R	R	2.02	R	R	1.00	R	R	R
PIC32MX230F064B	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	2.02	R	R	1.00	R	R	R
PIC32MX220F032D	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	2.01	R	R	1.00	R	R	R
PIC32MX220F032C	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	2.01	R	R	1.00	R	R	R
PIC32MX220F032B	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	2.01	R	R	1.00	R	R	R
PIC32MX210F016D	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	2.01	R	R	1.00	R	R	R
PIC32MX210F016C	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	2.01	R	R	1.00	R	R	R
PIC32MX210F016B	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	2.01	R	R	1.00	R	R	R
PIC32MX150F128D	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	2.02	R	R	1.00	R	R	R
PIC32MX150F128C	R	R	R	R	R	R	R	R	R	Y	Y	R	R	R	R	R	R	R	2.02	R	R	1.00	R	R	R
PIC32MX150F128B	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	2.02	R	R	1.00	R	R	R
PIC32MX130F064D	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	R	R	2.02	R	R	1.00	R	R	R
PIC32MX130F064C	R	R	R	R	R	R	R	R	R	Y	Y	R	R	R	R	R	R	R	2.02	R	R	1.00	R	R	R

"G" Green indicates full, production tested support.

"Y" Yellow indicates preliminary, beta support, not production tested.

Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.

"R" Red indicates no support for this device.

Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.

Device Support 2012-07-03 1241 devices	RI	RI	IC	IC	PP	PP	PP	PP	SI	SI	M	C	C	d	C	C	X	X	X	P	P	P	
	EE	CC	DD	DD	KK	KK	KK	KK	MI	MI													PA
	DP	DP	DP	DP	DP	DP	DP	DP	SA	SA	S	8	4	P	0	2	8	1	6	3	1	8	
PIC32MX130F064B	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	2.02	R	R	1.00	R	R	R
PIC32MX120F032D	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	2.01	R	R	1.00	R	R	R
PIC32MX120F032C	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	2.01	R	R	1.00	R	R	R
PIC32MX120F032B	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	2.01	R	R	1.00	R	R	R
PIC32MX110F016D	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	2.01	R	R	1.00	R	R	R
PIC32MX110F016C	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	2.01	R	R	1.00	R	R	R
PIC32MX110F016B	G	G	G	G	R	R	G	G	G	Y	Y	R	R	R	R	R	2.01	R	R	1.00	R	R	R
PIC24HJ64GP510A	G	G	G	G	R	R	G	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24HJ64GP510	G	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24HJ64GP506A	G	G	G	G	R	R	G	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24HJ64GP506	G	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24HJ64GP504	G	G	G	G	G	G	G	G	G	Y	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24HJ64GP502	G	G	G	G	G	G	G	G	G	Y	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24HJ64GP210A	G	G	G	G	R	R	G	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24HJ64GP210	G	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24HJ64GP206A	G	G	G	G	R	R	G	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24HJ64GP206	G	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24HJ64GP204	G	G	G	G	G	G	G	G	G	Y	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24HJ64GP202	G	G	G	G	G	G	G	G	G	Y	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24HJ32GP304	G	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24HJ32GP302	G	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24HJ32GP204	G	G	G	G	G	G	G	G	G	Y	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24HJ32GP202	G	G	G	G	G	G	G	G	G	Y	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24HJ256GP610A	G	G	G	G	R	R	G	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24HJ256GP610	G	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24HJ256GP210A	G	G	G	G	R	R	G	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24HJ256GP210	G	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24HJ256GP206A	G	G	G	G	R	R	G	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24HJ256GP206	G	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24HJ16GP304	G	G	G	G	G	G	G	G	G	Y	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24HJ12GP202	G	G	G	G	G	G	G	G	G	Y	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24HJ12GP201	G	G	G	G	G	G	G	G	G	Y	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24HJ128GP510A	G	G	G	G	R	R	G	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24HJ128GP510	G	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24HJ128GP506A	G	G	G	G	R	R	G	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24HJ128GP506	G	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24HJ128GP504	G	G	G	G	G	G	G	G	G	Y	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24HJ128GP502	G	G	G	G	G	G	G	G	G	Y	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24HJ128GP310A	G	G	G	G	R	R	G	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24HJ128GP310	G	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24HJ128GP306A	G	G	G	G	R	R	G	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24HJ128GP306	G	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24HJ128GP210A	G	G	G	G	R	R	G	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24HJ128GP210	G	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24HJ128GP206A	G	G	G	G	R	R	G	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R

"G" Green indicates full, production tested support.

"Y" Yellow indicates preliminary, beta support, not production tested.

Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.

"R" Red indicates no support for this device.

Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.

Device Support 2012-07-03 1241 devices	R	R	I	I	P	P	P	P	S	S	M	C	C	d	C	C	X	X	X	P	P	P	P
	I	I	C	C	K	K	K	K	M	M	A	1	2	s	3	3	C	C	C	I	C	C	C
	EE	DD	DD	DD	2	2	3	3	3	M	S	8	4	P	0	2	8	1	3	1	8	1	8
	DP	DP	DP	DP	D	D	D	D	P	A	S			I				6	2	C	S	T	D
PIC24HJ128GP206	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R	R
PIC24HJ128GP204	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R	R
PIC24HJ128GP202	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R	R
PIC24FV32KA304	G	G	G	G	R	R	G	G	G	Y	R	R	3.25	R	3.25	R	R	1.00	R	R	R	R	R
PIC24FV32KA302	G	G	G	G	R	R	G	G	G	Y	R	R	3.25	R	3.25	R	R	1.00	R	R	R	R	R
PIC24FV32KA301	G	G	G	G	R	R	G	G	G	Y	R	R	3.25	R	3.25	R	R	1.00	R	R	R	R	R
PIC24FV16KA304	G	G	G	G	R	R	G	G	Y	Y	R	R	3.25	R	3.25	R	R	1.00	R	R	R	R	R
PIC24FV16KA302	G	G	G	G	R	R	G	G	G	Y	R	R	3.25	R	3.25	R	R	1.00	R	R	R	R	R
PIC24FV16KA301	G	G	G	G	R	R	G	G	G	Y	R	R	3.25	R	3.25	R	R	1.00	R	R	R	R	R
PIC24FJ96GA010	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R	R
PIC24FJ96GA008	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R	R
PIC24FJ96GA006	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R	R
PIC24FJ64GC010	Y	Y	Y	Y	R	R	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R	R
PIC24FJ64GC006	Y	Y	Y	Y	R	R	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R	R
PIC24FJ64GB502	G	G	G	G	R	R	G	G	G	Y	R	R	3.20	R	3.20	R	R	1.00	R	R	R	R	R
PIC24FJ64GB204	Y	Y	Y	Y	R	R	Y	Y	Y	Y	R	R	R	R	R	R	R	1.00	R	R	R	R	R
PIC24FJ64GB202	Y	Y	Y	Y	R	R	Y	Y	Y	Y	R	R	R	R	R	R	R	1.00	R	R	R	R	R
PIC24FJ64GB110	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R	R
PIC24FJ64GB108	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R	R
PIC24FJ64GB106	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R	R
PIC24FJ64GB004	G	G	G	G	R	R	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R	R
PIC24FJ64GB002	G	G	G	G	R	R	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R	R
PIC24FJ64GA310	G	G	G	G	R	R	G	G	G	Y	R	R	3.25	R	3.25	R	R	1.00	R	R	R	R	R
PIC24FJ64GA308	G	G	G	G	R	R	G	G	G	Y	R	R	3.25	R	3.25	R	R	1.00	R	R	R	R	R
PIC24FJ64GA306	G	G	G	G	R	R	G	G	G	Y	R	R	3.25	R	3.25	R	R	1.00	R	R	R	R	R
PIC24FJ64GA110	G	G	G	G	R	R	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R	R
PIC24FJ64GA108	G	G	G	G	R	R	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R	R
PIC24FJ64GA106	G	G	G	G	R	R	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R	R
PIC24FJ64GA104	G	G	G	G	R	R	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R	R
PIC24FJ64GA102	G	G	G	G	R	R	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R	R
PIC24FJ64GA010	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R	R
PIC24FJ64GA008	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R	R
PIC24FJ64GA006	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R	R
PIC24FJ64GA004	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R	R
PIC24FJ64GA002	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R	R
PIC24FJ48GA004	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R	R
PIC24FJ48GA002	G	G	G	G	G	G	G	G	G	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R	R
PIC24FJ32MC104	Y	Y	Y	Y	R	R	R	Y	R	Y	R	R	R	R	R	R	R	1.00	R	R	R	R	R
PIC24FJ32MC102	Y	Y	Y	Y	R	R	R	Y	R	Y	R	R	R	R	R	R	R	1.00	R	R	R	R	R
PIC24FJ32MC101	Y	Y	Y	Y	R	R	R	Y	R	Y	R	R	R	R	R	R	R	1.00	R	R	R	R	R
PIC24FJ32GB004	G	G	G	G	R	R	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R	R
PIC24FJ32GB002	G	G	G	G	R	R	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R	R
PIC24FJ32GA104	G	G	G	G	R	R	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R	R
PIC24FJ32GA102	G	G	G	G	R	R	G	G	G	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R	R
PIC24FJ32GA004	G	G	G	G	G	G	G	G	G	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R	R

"G" Green indicates full, production tested support.

"Y" Yellow indicates preliminary, beta support, not production tested.

Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.

"R" Red indicates no support for this device.

Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.

Device Support 2012-07-03 1241 devices	R	R	I	I	P	P	P	P	S	S	M	C	C	d	C	C	X	X	X	P	P	P	P
	I	I	C	C	K	K	K	K	M	M	A	1	2	s	3	3	C	C	C	I	C	C	C
	EE	DD	DD	DD	2	2	3	3	3	M	S	8	4	P	0	2	8	1	3	1	8	1	8
	DP	DP	DP	DP	D	D	D	D	P	A	S			I				6	2	C	S	T	D
PIC24FJ32GA002	G	G	G	G	G	G	G	G	G	Y	Y	R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24FJ256GB210	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.20.B	R	3.20.B	R	R	1.00	R	R	R	R
PIC24FJ256GB206	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.20.B	R	3.20.B	R	R	1.00	R	R	R	R
PIC24FJ256GB110	G	G	G	G	G	G	G	G	G	Y		R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24FJ256GB108	G	G	G	G	G	G	G	G	G	Y		R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24FJ256GB106	G	G	G	G	G	G	G	G	G	Y		R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24FJ256GA110	G	G	G	G	G	G	G	G	G	Y		R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24FJ256GA108	G	G	G	G	G	G	G	G	G	Y		R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24FJ256GA106	G	G	G	G	G	G	G	G	G	Y		R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24FJ256DA210	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.20.B	R	3.20.B	R	R	1.00	R	R	R	R
PIC24FJ256DA206	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.20.B	R	3.20.B	R	R	1.00	R	R	R	R
PIC24FJ256DA110	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.20.B	R	3.20.B	R	R	1.00	R	R	R	R
PIC24FJ256DA106	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.20.B	R	3.20.B	R	R	1.00	R	R	R	R
PIC24FJ192GB110	G	G	G	G	G	G	G	G	G	Y		R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24FJ192GB108	G	G	G	G	G	G	G	G	G	Y		R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24FJ192GB106	G	G	G	G	G	G	G	G	G	Y		R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24FJ192GA110	G	G	G	G	G	G	G	G	G	Y		R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24FJ192GA108	G	G	G	G	G	G	G	G	G	Y		R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24FJ192GA106	G	G	G	G	G	G	G	G	G	Y		R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24FJ16MC102	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.30	R	3.30	R	R	1.00	R	R	R	R
PIC24FJ16MC101	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.30	R	3.30	R	R	1.00	R	R	R	R
PIC24FJ16GA004	G	G	G	G	G	G	G	G	G	Y	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24FJ16GA002	G	G	G	G	G	G	G	G	G	Y	Y	R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24FJ128GC010	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R
PIC24FJ128GC006	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R
PIC24FJ128GB210	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.20.B	R	3.20.B	R	R	1.00	R	R	R	R
PIC24FJ128GB206	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.20.B	R	3.20.B	R	R	1.00	R	R	R	R
PIC24FJ128GB204	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	R	R	R	R	1.00	R	R	R	R
PIC24FJ128GB202	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	R	R	R	R	R	1.00	R	R	R	R
PIC24FJ128GB110	G	G	G	G	G	G	G	G	G	Y		R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24FJ128GB108	G	G	G	G	G	G	G	G	G	Y		R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24FJ128GB106	G	G	G	G	G	G	G	G	G	Y		R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24FJ128GA310	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.25	R	3.25	R	R	1.00	R	R	R	R
PIC24FJ128GA308	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.25	R	3.25	R	R	1.00	R	R	R	R
PIC24FJ128GA306	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.25	R	3.25	R	R	1.00	R	R	R	R
PIC24FJ128GA110	G	G	G	G	G	G	G	G	G	Y		R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24FJ128GA108	G	G	G	G	G	G	G	G	G	Y		R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24FJ128GA106	G	G	G	G	G	G	G	G	G	Y		R	R	3.02	R	3.02	R	R	1.00	R	R	R	R
PIC24FJ128GA010	G	G	G	G	G	G	G	G	G	Y		R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24FJ128GA008	G	G	G	G	G	G	G	G	G	Y		R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24FJ128GA006	G	G	G	G	G	G	G	G	G	Y		R	R	3.23	R	3.23	R	R	1.00	R	R	R	R
PIC24FJ128DA210	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.20.B	R	3.20.B	R	R	1.00	R	R	R	R
PIC24FJ128DA206	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.20.B	R	3.20.B	R	R	1.00	R	R	R	R
PIC24FJ128DA110	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.20.B	R	3.20.B	R	R	1.00	R	R	R	R
PIC24FJ128DA106	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.20.B	R	3.20.B	R	R	1.00	R	R	R	R

"G" Green indicates full, production tested support.

"Y" Yellow indicates preliminary, beta support, not production tested.

Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.

"R" Red indicates no support for this device.

Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.

Device Support 2012-07-03 1241 devices	RR	RI	IC	PP	PP	PP	PP	SI	SI	MP	C	C	d	C	C	X	X	X	P	P	P	P	
	IC	IC	CD	DD	22	22	33	33	M3	MI	SI	18	24	sPIC	30	32	C8	C16	C32	PICC	PIC18	PIC18	STD
	EE	DD	DD	DD	DP	DP	DP	SA	SA	ASM													
PIC24F32KA304	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.23.B	R	3.23.B	R	R	1.00	R	R	R	R
PIC24F32KA302	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.23.B	R	3.23.B	R	R	1.00	R	R	R	R
PIC24F32KA301	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.23.B	R	3.23.B	R	R	1.00	R	R	R	R
PIC24F16KM204	R	R	R	R	R	R	R	R	R	Y	Y	R	R	R	R	R	R	R	R	R	R	R	R
PIC24F16KM202	R	R	R	R	R	R	R	R	R	Y	Y	R	R	R	R	R	R	R	R	R	R	R	R
PIC24F16KM104	R	R	R	R	R	R	R	R	R	Y	Y	R	R	R	R	R	R	R	R	R	R	R	R
PIC24F16KM102	R	R	R	R	R	R	R	R	R	Y	Y	R	R	R	R	R	R	R	R	R	R	R	R
PIC24F16KL402	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R
PIC24F16KL401	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R
PIC24F16KA304	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.23.B	R	3.23.B	R	R	1.00	R	R	R	R
PIC24F16KA302	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.23.B	R	3.23.B	R	R	1.00	R	R	R	R
PIC24F16KA301	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.23.B	R	3.23.B	R	R	1.00	R	R	R	R
PIC24F16KA102	G	G	G	G	Y	Y	G	G	G	Y	Y	R	R	3.10.B	R	3.10.B	R	R	1.00	R	R	R	R
PIC24F16KA101	G	G	G	G	Y	Y	G	G	G	Y	Y	R	R	3.10.B	R	3.10.B	R	R	1.00	R	R	R	R
PIC24F08KM204	R	R	R	R	R	R	R	R	R	Y	Y	R	R	R	R	R	R	R	R	R	R	R	R
PIC24F08KM202	R	R	R	R	R	R	R	R	R	Y	Y	R	R	R	R	R	R	R	R	R	R	R	R
PIC24F08KM102	R	R	R	R	R	R	R	R	R	Y	Y	R	R	R	R	R	R	R	R	R	R	R	R
PIC24F08KM101	R	R	R	R	R	R	R	R	R	Y	Y	R	R	R	R	R	R	R	R	R	R	R	R
PIC24F08KL402	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R
PIC24F08KL401	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R
PIC24F08KL302	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R
PIC24F08KL301	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R
PIC24F08KL201	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R
PIC24F08KL200	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R
PIC24F08KA102	G	G	G	G	Y	Y	G	G	G	Y	Y	R	R	3.10.B	R	3.10.B	R	R	1.00	R	R	R	R
PIC24F08KA101	G	G	G	G	Y	Y	G	G	G	Y	Y	R	R	3.10.B	R	3.10.B	R	R	1.00	R	R	R	R
PIC24F04KL101	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R
PIC24F04KL100	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R
PIC24F04KA201	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.10.B	R	3.10.B	R	R	1.00	R	R	R	R
PIC24F04KA200	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.12	R	3.12	R	R	1.00	R	R	R	R
PIC24EP64MC206	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.30.B	R	3.30.B	R	R	1.00	R	R	R	R
PIC24EP64MC204	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.30.B	R	3.30.B	R	R	1.00	R	R	R	R
PIC24EP64MC203	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.30.B	R	3.30.B	R	R	1.00	R	R	R	R
PIC24EP64MC202	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.30.B	R	3.30.B	R	R	1.00	R	R	R	R
PIC24EP64GP206	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.30.B	R	3.30.B	R	R	1.00	R	R	R	R
PIC24EP64GP204	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.30.B	R	3.30.B	R	R	1.00	R	R	R	R
PIC24EP64GP203	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.30.B	R	3.30.B	R	R	1.00	R	R	R	R
PIC24EP64GP202	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.30.B	R	3.30.B	R	R	1.00	R	R	R	R
PIC24EP512MC206	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	R	R	R	R	R	R	R	1.00	R	R	R	R
PIC24EP512MC204	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	R	R	R	R	R	R	R	1.00	R	R	R	R
PIC24EP512MC202	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	R	R	R	R	R	R	R	1.00	R	R	R	R
PIC24EP512GU814	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.30	R	3.30	R	R	1.00	R	R	R	R
PIC24EP512GU810	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.30	R	3.30	R	R	1.00	R	R	R	R
PIC24EP512GP806	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R
PIC24EP512GP206	R	R	R	R	R	R	R	R	R	Y	Y	R	R	R	R	R	R	R	1.00	R	R	R	R

"G" Green indicates full, production tested support.

"Y" Yellow indicates preliminary, beta support, not production tested.

Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.

"R" Red indicates no support for this device.

Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.

Device Support 2012-07-03 1241 devices	RR	RI	IC	IC	PP	PP	PP	PP	SI	SI	SI	MP	C	C	d	C	C	X	X	X	P	P	P	P
	IC	IC	CD	CD	22	22	33	33	M3	M3	M3	AS	18	24	SPIC	30	32	8	16	32	IC	18	18	18
	EE	DD	DD	DD	DP	DP	DP	DP	ISA	ISA	ISA	ASM	8	4	IC	0	2	8	6	2	IC	18	18	18
	DP	DP	DP	DP	DP	DP	DP	DP	A	A	A	M	8	4	IC	0	2	8	6	2	IC	18	18	18
PIC24EP512GP204	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	R	R	R	R	R	R	R	1.00	R	R	R	R	R
PIC24EP512GP202	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	R	R	R	R	R	R	R	1.00	R	R	R	R	R
PIC24EP32MC204	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R	R
PIC24EP32MC203	R	R	R	R	R	R	R	R	R	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R	R
PIC24EP32MC202	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R	R
PIC24EP32GP204	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R	R
PIC24EP32GP203	R	R	R	R	R	R	R	R	R	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R	R
PIC24EP32GP202	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R	R
PIC24EP256MC206	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R	R
PIC24EP256MC204	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R	R
PIC24EP256MC202	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R	R
PIC24EP256GU814	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.30	R	3.30	R	R	1.00	R	R	R	R	R
PIC24EP256GU810	G	G	G	G	R	R	G	G	G	Y	Y	R	R	3.30	R	3.30	R	R	1.00	R	R	R	R	R
PIC24EP256GP206	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R	R
PIC24EP256GP204	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R	R
PIC24EP256GP202	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R	R
PIC24EP128MC206	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R	R
PIC24EP128MC204	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R	R
PIC24EP128MC202	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R	R
PIC24EP128GP206	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R	R
PIC24EP128GP204	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R	R
PIC24EP128GP202	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	R	R	3.31	R	3.31	R	R	1.00	R	R	R	R	R
PIC18LF66K80	G	G	G	G	R	R	G	G	G	Y	Y	5.41	3.38	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18LF65K80	G	G	G	G	R	R	G	G	G	Y	Y	5.41	3.38	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18LF47J53	G	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18LF47J13	G	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18LF46K80	G	G	G	G	R	R	G	G	G	Y	Y	5.41	3.38	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18LF46K22	G	G	G	G	R	R	G	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18LF46J53	G	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18LF46J50	G	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3	
PIC18LF46J13	G	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18LF46J11	G	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3	
PIC18LF45K80	G	G	G	G	R	R	G	G	G	Y	Y	5.41	3.38	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18LF45K50	R	Y	R	Y	R	R	R	Y	R	Y	Y	5.45	3.42	R	R	R	R	R	R	R	R	R	R	R
PIC18LF45K22	G	G	G	G	R	R	G	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18LF45J50	G	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3	
PIC18LF45J11	G	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3	
PIC18LF45J10	G	G	G	G	G	G	G	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.63pl3	
PIC18LF44K22	G	G	G	G	R	R	G	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18LF44J50	G	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3	
PIC18LF44J11	G	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3	
PIC18LF44J10	G	G	G	G	G	G	G	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.63pl3	
PIC18LF43K22	G	G	G	G	R	R	G	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18LF27J53	G	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18LF27J13	G	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65	

"G" Green indicates full, production tested support.

"Y" Yellow indicates preliminary, beta support, not production tested.

Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.

"R" Red indicates no support for this device.

Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.

Device Support 2012-07-03 1241 devices	R	R	I	I	P	P	P	P	S	S	M	C	C	d	C	C	X	X	X	P	P	P	
	I	I	C	C	K	K	K	K	M	M	P	1	2	s	3	3	C	C	C	I	I	I	
	CC	CC	DD	DD	22	22	33	33	33	33	8	4	PIC	0	2	8	16	32	CC	18	18	8	
	EE	DD	33	33	DP	DP	DP	DP	33	33	A									ST	ST	8	
	DP	DP	DP	DP	DP	DP	DP	DP	DP	DP										D	D	PRO	
PIC18LF26K80	G	G	G	G	R	R	G	G	G	Y	Y	5.41	3.38	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18LF26K22	G	G	G	G	R	R	G	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18LF26J53	G	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18LF26J50	G	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18LF26J13	G	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18LF26J11	G	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18LF25K80	G	G	G	G	R	R	G	G	G	Y	Y	5.41	3.38	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18LF25K50	R	Y	R	Y	R	R	R	Y	R	Y	Y	5.45	3.42	R	R	R	R	R	R	R	R	R	R
PIC18LF25K22	G	G	G	G	R	R	G	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18LF25J50	G	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18LF25J11	G	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18LF25J10	G	G	G	G	G	G	G	G	G	Y		5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18LF24K50	R	Y	R	Y	R	R	R	Y	R	Y	Y	5.45	3.42	R	R	R	R	R	R	R	R	R	R
PIC18LF24K22	G	G	G	G	R	R	G	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18LF24J50	G	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18LF24J11	G	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18LF24J10	G	G	G	G	G	G	G	G	G	Y		5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18LF23K22	G	G	G	G	R	R	G	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18LF14K50	G	G	G	G	Y	Y	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18LF14K22	G	G	G	G	Y	Y	G	G	G	Y		5.31	3.31	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18LF13K50	G	G	G	G	Y	Y	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18LF13K22	G	G	G	G	R	R	G	G	G	Y		5.31	3.31	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18F97J94	R	R	R	R	R	R	R	R	R	Y	Y	G	3.03	R	R	R	R	R	R	R	R	R	R
PIC18F97J60	G	G	G	G	G	G	G	G	G	Y		5.05	3.05	R	R	R	R	1.00	R	R	R	9.50pl2	9.63
PIC18F96J99	R	R	R	R	R	R	R	R	R	Y	Y	3.43	3.43	R	R	R	R	1.01	R	R	R	R	R
PIC18F96J94	R	R	R	R	R	R	R	R	R	Y	Y	G	3.03	R	R	R	R	R	R	R	R	R	R
PIC18F96J65	G	G	G	G	G	G	G	G	G	Y		5.05	3.05	R	R	R	R	1.00	R	R	R	9.50pl2	9.63
PIC18F96J60	G	G	G	G	G	G	G	G	G	Y		5.05	3.05	R	R	R	R	1.00	R	R	R	9.50pl2	9.63
PIC18F95J94	R	R	R	R	R	R	R	R	R	Y	Y	3.43	3.43	R	R	R	R	1.01	R	R	R	R	R
PIC18F87K90	G	G	G	G	R	R	G	G	G	Y	Y	5.34	3.34	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18F87K22	G	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18F87J94	R	R	R	R	R	R	R	R	R	Y	Y	G	3.03	R	R	R	R	R	R	R	R	R	R
PIC18F87J93	G	G	G	G	R	R	G	G	G	Y		5.32	3.32	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18F87J90	G	G	G	G	G	G	G	G	G	Y		5.22	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18F87J72	G	G	G	G	R	R	G	G	G	Y	Y	5.35	3.35	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F87J60	G	G	G	G	G	G	G	G	G	Y		5.05	3.05	R	R	R	R	1.00	R	R	R	9.50pl2	9.63
PIC18F87J50	G	G	G	G	G	G	G	G	G	Y		5.11	3.11	R	R	R	R	1.00	R	R	R	9.51	9.61pl1
PIC18F87J11	G	G	G	G	G	G	G	G	G	Y		5.11	3.11	R	R	R	R	1.00	R	R	R	9.51	9.61pl1
PIC18F87J10	G	G	G	G	G	G	G	G	G	Y		3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl3	9.63
PIC18F8723	G	G	G	G	G	G	G	G	G	Y		5.15	3.15	R	R	R	R	1.00	R	R	R	9.51	9.61pl1
PIC18F8722	G	G	G	G	G	G	G	G	G	Y		3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl3	9.63
PIC18F8720	G	G	G	G	G	G	G	G	G	Y		3.90	3.35	R	R	R	R	1.00	R	R	R	8.11pl1	9.63
PIC18F86K90	G	G	G	G	R	R	G	G	G	Y	Y	5.34	3.34	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F86K22	G	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F86J99	R	R	R	R	R	R	R	R	R	Y	Y	3.43	3.43	R	R	R	R	1.01	R	R	R	R	R

"G" Green indicates full, production tested support.

"Y" Yellow indicates preliminary, beta support, not production tested.

Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.

"R" Red indicates no support for this device.

Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.

Device Support 2012-07-03 1241 devices	R	R	I	I	P	P	P	P	S	S	M	C	C	d	C	C	X	X	X	P	P	P	
	I	I	C	C	K	K	K	K	M	M	P	1	2	s	3	3	C	C	C	I	I	I	
	CC	CC	DD	DD	22	22	33	33	33	33	8	4	P	0	2	8	16	32	CC	18	18	8	
	EE	DD	33	33	DP	DP	DP	DP	33	33	SA			P						ST	ST	RO	
	DP	DP	DP	DP	DP	DP	DP	DP	DP	DP	DP			IC						D	D	O	
PIC18F86J94	R	R	R	R	R	R	R	R	R	Y	Y	G	3.03	R	R	R	R	R	R	R	R	R	
PIC18F86J93	G	G	G	G	R	R	G	G	G	G	Y	5.32	3.32	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18F86J90	G	G	G	G	G	G	G	G	G	G	Y	5.22	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18F86J72	G	G	G	G	R	R	G	G	G	Y	Y	5.35	3.35	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F86J65	G	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50pl2	9.63
PIC18F86J60	G	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50pl2	9.63
PIC18F86J55	G	G	G	G	G	G	G	G	G	G	Y	5.11	3.11	R	R	R	R	1.00	R	R	R	9.51	9.61pl1
PIC18F86J50	G	G	G	G	G	G	G	G	G	G	Y	5.11	3.11	R	R	R	R	1.00	R	R	R	9.51	9.61pl1
PIC18F86J16	G	G	G	G	G	G	G	G	G	G	Y	5.11	3.11	R	R	R	R	1.00	R	R	R	9.51	9.61pl1
PIC18F86J15	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl3	9.63
PIC18F86J11	G	G	G	G	G	G	G	G	G	G	Y	5.11	3.11	R	R	R	R	1.00	R	R	R	9.51	9.61pl1
PIC18F86J10	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl3	9.63
PIC18F8680	G	G	G	G	G	G	G	G	G	G	Y	5.04	3.04	R	R	R	R	1.00	R	R	R	8.30	9.63
PIC18F8628	G	G	G	G	G	G	G	G	G	G	Y	5.15	3.15	R	R	R	R	1.00	R	R	R	9.51	9.61pl1
PIC18F8627	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl3	9.63
PIC18F8622	G	G	G	G	G	G	G	G	G	G	Y	4.00	2.42	R	R	R	R	1.00	R	R	R	8.35pl3	9.63
PIC18F8621	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.30	9.63
PIC18F8620	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.11pl1	9.63
PIC18F85K90	G	G	G	G	R	R	G	G	G	Y	Y	5.34	3.34	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F85K22	G	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F85J94	R	R	R	R	R	R	R	R	R	Y	Y	3.43	3.43	R	R	R	R	1.01	R	R	R	R	R
PIC18F85J90	G	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50pl2	9.63
PIC18F85J50	G	G	G	G	G	G	G	G	G	G	Y	5.11	3.11	R	R	R	R	1.00	R	R	R	9.51	9.61pl1
PIC18F85J15	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl3	9.63
PIC18F85J11	G	G	G	G	G	G	G	G	G	G	Y	5.06	3.06	R	R	R	R	1.00	R	R	R	9.50pl2	9.63
PIC18F85J10	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl3	9.63
PIC18F8585	G	G	G	G	G	G	G	G	G	G	Y	5.04	3.04	R	R	R	R	1.00	R	R	R	8.30	9.63
PIC18F8527	G	G	G	G	G	G	G	G	G	G	Y	4.00	2.42	R	R	R	R	1.00	R	R	R	8.35pl3	9.63
PIC18F8525	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.30	9.63
PIC18F8520	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.30	9.63
PIC18F84J90	G	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50pl2	9.63
PIC18F84J11	G	G	G	G	G	G	G	G	G	G	Y	5.06	3.06	R	R	R	R	1.00	R	R	R	9.50pl2	9.63
PIC18F8493	G	G	G	G	G	G	G	G	G	G	Y	5.16	3.16	R	R	R	R	1.00	R	R	R	9.51	9.61pl1
PIC18F8490	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35	9.63
PIC18F8410	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl1	9.63
PIC18F83J90	G	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50pl2	9.63
PIC18F83J11	G	G	G	G	G	G	G	G	G	G	Y	5.06	3.06	R	R	R	R	1.00	R	R	R	9.50pl2	9.63
PIC18F8393	G	G	G	G	G	G	G	G	G	G	Y	5.16	3.16	R	R	R	R	1.00	R	R	R	9.51	9.61pl1
PIC18F8390	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl3	9.63
PIC18F8310	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl1	9.63
PIC18F67K90	G	G	G	G	R	R	G	G	G	Y	Y	5.34	3.34	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F67K22	G	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F67J94	R	R	R	R	R	R	R	R	R	Y	Y	G	3.03	R	R	R	R	R	R	R	R	R	R
PIC18F67J93	G	G	G	G	R	R	G	G	G	G	Y	5.32	3.32	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18F67J90	G	G	G	G	G	G	G	G	G	G	Y	5.31	3.31	R	R	R	R	1.00	R	R	R	9.52	9.63pl3

"G" Green indicates full, production tested support.

"Y" Yellow indicates preliminary, beta support, not production tested.

Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.

"R" Red indicates no support for this device.

Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.

Device Support 2012-07-03 1241 devices	RR	RI	IC	IC	PP	PP	PP	PP	SI	SI	M	C	C	d	C	C	X	X	X	P	P	P	P
	IC	IC	CC	CC	KK	KK	KK	KK	MI	MI	PA	1	2	s	3	3	C	C	C	IC	IC	IC	IC
	EE	DD	DD	DD	2	2	3	3	3	3	A	8	4	P	0	2	8	1	3	C	C	C	C
	DP	DP	DP	DP	D	D	D	D	P	P	S			I				6	2				
PIC18F67J60	G	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50pl2	9.63
PIC18F67J50	G	G	G	G	G	G	G	G	G	G	Y	5.11	3.11	R	R	R	R	1.00	R	R	R	9.51	9.61pl1
PIC18F67J11	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	9.51	9.61pl1
PIC18F67J10	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl3	9.63
PIC18F6723	G	G	G	G	G	G	G	G	G	G	Y	5.15	3.15	R	R	R	R	1.00	R	R	R	9.51	9.61pl1
PIC18F6722	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl3	9.63
PIC18F6720	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.11pl1	9.63
PIC18F66K90	G	G	G	G	R	R	G	G	G	Y	Y	5.34	3.34	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F66K80	G	G	G	G	R	R	G	G	G	Y	Y	5.41	3.38	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F66K22	G	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F66J99	R	R	R	R	R	R	R	R	R	Y	Y	3.43	3.43	R	R	R	R	1.01	R	R	R	R	R
PIC18F66J94	R	R	R	R	R	R	R	R	R	Y	Y	G	3.03	R	R	R	R	R	R	R	R	R	R
PIC18F66J93	G	G	G	G	R	R	G	G	G	G	Y	5.32	3.32	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18F66J90	G	G	G	G	G	G	G	G	G	G	Y	5.31	3.31	R	R	R	R	1.00	R	R	R	9.52	9.63pl3
PIC18F66J65	G	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50pl2	9.63
PIC18F66J60	G	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50pl2	9.63
PIC18F66J55	G	G	G	G	G	G	G	G	G	G	Y	5.11	3.11	R	R	R	R	1.00	R	R	R	9.51	9.61pl1
PIC18F66J50	G	G	G	G	G	G	G	G	G	G	Y	5.11	3.11	R	R	R	R	1.00	R	R	R	9.51	9.61pl1
PIC18F66J16	G	G	G	G	G	G	G	G	G	G	Y	5.11	3.11	R	R	R	R	1.00	R	R	R	9.51	9.61pl1
PIC18F66J15	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl3	9.63
PIC18F66J11	G	G	G	G	G	G	G	G	G	G	Y	5.11	3.11	R	R	R	R	1.00	R	R	R	9.51	9.61pl1
PIC18F66J10	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl3	9.63
PIC18F6680	G	G	G	G	G	G	G	G	G	G	Y	5.04	3.04	R	R	R	R	1.00	R	R	R	8.30	9.63
PIC18F6628	G	G	G	G	G	G	G	G	G	G	Y	5.15	3.15	R	R	R	R	1.00	R	R	R	9.51	9.61pl1
PIC18F6627	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl3	9.63
PIC18F6622	G	G	G	G	G	G	G	G	G	G	Y	4.00	2.42	R	R	R	R	1.00	R	R	R	8.35pl3	9.63
PIC18F6621	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.30	9.63
PIC18F6620	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.11pl1	9.63
PIC18F65K90	G	G	G	G	R	R	G	G	G	Y	Y	5.34	3.34	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F65K80	G	G	G	G	R	R	G	G	G	Y	Y	5.41	3.38	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F65K22	G	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F65J94	R	R	R	R	R	R	R	R	R	Y	Y	3.43	3.43	R	R	R	R	1.01	R	R	R	R	R
PIC18F65J90	G	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50pl2	9.63
PIC18F65J50	G	G	G	G	G	G	G	G	G	G	Y	5.11	3.11	R	R	R	R	1.00	R	R	R	9.51	9.61pl1
PIC18F65J15	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl3	9.63
PIC18F65J11	G	G	G	G	G	G	G	G	G	G	Y	5.06	3.06	R	R	R	R	1.00	R	R	R	9.50pl2	9.63
PIC18F65J10	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35pl3	9.63
PIC18F6585	G	G	G	G	G	G	G	G	G	G	Y	5.04	3.04	R	R	R	R	1.00	R	R	R	8.30	9.63
PIC18F6527	G	G	G	G	G	G	G	G	G	G	Y	4.00	2.42	R	R	R	R	1.00	R	R	R	8.35pl3	9.63
PIC18F6525	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.30	9.63
PIC18F6520	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.30	9.63
PIC18F64J90	G	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50pl2	9.63
PIC18F64J11	G	G	G	G	G	G	G	G	G	G	Y	5.06	3.06	R	R	R	R	1.00	R	R	R	9.50pl2	9.63
PIC18F6493	G	G	G	G	G	G	G	G	G	G	Y	5.16	3.16	R	R	R	R	1.00	R	R	R	9.51	9.61pl1
PIC18F6490	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35	9.63

"G" Green indicates full, production tested support.

"Y" Yellow indicates preliminary, beta support, not production tested.

Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.

"R" Red indicates no support for this device.

Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.

Device Support 2012-07-03 1241 devices	RR	RI	IC	CC	PP	PP	PP	PP	SI	SI	M	C	C	d	C	C	X	X	X	P	P	P	
	IC	IC	CC	DD	22	22	33	33	MI	MI	PA	18	24	SP	30	32	38	16	32	P	C	C	P
	EE	33	33	DD	22	22	33	33	SA	SA	SM	8	4	I	0	2	8	6	2	IC	C	C	C
	DP	DP	DP	DP	DP	DP	DP	DP	A	P	M	8	4	C	0	2	8	6	2	C	C	C	C
PIC18F6410	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35p11	9.63	
PIC18F63J90	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50p12	9.63	
PIC18F63J11	G	G	G	G	G	G	G	G	G	Y	5.06	3.06	R	R	R	R	1.00	R	R	R	9.50p12	9.63	
PIC18F6393	G	G	G	G	G	G	G	G	G	Y	5.16	3.16	R	R	R	R	1.00	R	R	R	9.51	9.61p11	
PIC18F6390	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35p13	9.63	
PIC18F6310	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35p11	9.63	
PIC18F47J53	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18F47J13	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18F46K80	G	G	G	R	R	G	G	G	Y	Y	5.41	3.38	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18F46K22	G	G	G	R	R	G	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18F46K20	G	G	G	G	G	G	G	G	G	Y	5.11	3.11	R	R	R	R	1.00	R	R	R	9.51	9.61p11	
PIC18F46J53	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18F46J50	G	G	G	G	G	G	G	G	G	Y	5.20	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63p13	
PIC18F46J13	G	G	G	R	R	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18F46J11	G	G	G	G	G	G	G	G	G	Y	5.20	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63p12	
PIC18F4685	G	G	G	G	G	G	G	G	G	Y	5.04	3.04	R	R	R	R	1.00	R	R	R	9.50p12	9.63	
PIC18F4682	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50p12	9.63	
PIC18F4680	G	G	G	G	G	G	G	G	G	Y	5.04	3.04	R	R	R	R	1.00	R	R	R	8.35	9.63	
PIC18F4620	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35	9.63	
PIC18F4610	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35p11	9.63	
PIC18F45K80	G	G	G	R	R	G	G	G	Y	Y	5.41	3.38	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18F45K50	R	Y	R	Y	R	R	R	Y	R	Y	Y	5.45	3.42	R	R	R	R	R	R	R	R	R	
PIC18F45K22	G	G	G	R	R	G	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18F45K20	G	G	G	G	G	G	G	G	G	Y	5.10	3.10	R	R	R	R	1.00	R	R	R	9.51	9.63	
PIC18F45J50	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63p13	
PIC18F45J11	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63p13	
PIC18F45J10	G	G	G	G	G	G	G	G	G	Y	4.00	2.42	R	R	R	R	1.00	R	R	R	9.10	9.63	
PIC18F4585	G	G	G	G	G	G	G	G	G	Y	5.04	3.04	R	R	R	R	1.00	R	R	R	8.35	9.63	
PIC18F4580	G	G	G	G	G	G	G	G	G	Y	5.04	3.04	R	R	R	R	1.00	R	R	R	8.35p13	9.63	
PIC18F458	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.11	9.63	
PIC18F4553	G	G	G	G	G	G	G	G	G	Y	5.12	3.12	R	R	R	R	1.00	R	R	R	9.51	9.61p11	
PIC18F4550	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35	9.63	
PIC18F4539	R	R	R	R	R	R	R	R	R	R	3.90	3.35	R	R	R	R	1.00	R	R	R	8.20p14	9.63	
PIC18F4525	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35	9.63	
PIC18F4523	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50p12	9.63	
PIC18F4520	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35p11	9.63	
PIC18F452	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.11	9.63	
PIC18F4515	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35p11	9.63	
PIC18F4510	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35p11	9.63	
PIC18F44K22	G	G	G	R	R	G	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.65	
PIC18F44K20	G	G	G	G	G	G	G	G	G	Y	5.10	3.10	R	R	R	R	1.00	R	R	R	9.51	9.63	
PIC18F44J50	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63p13	
PIC18F44J11	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63p13	
PIC18F44J10	G	G	G	G	G	G	G	G	G	Y	4.00	2.42	R	R	R	R	1.00	R	R	R	9.10	9.63	
PIC18F4480	G	G	G	G	G	G	G	G	G	Y	5.04	3.04	R	R	R	R	1.00	R	R	R	8.35p13	9.63	

"G" Green indicates full, production tested support.

"Y" Yellow indicates preliminary, beta support, not production tested.

Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.

"R" Red indicates no support for this device.

Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.

Device Support 2012-07-03 1241 devices	RI	RI	IC	IC	CC	DD	PP	PP	PP	PP	MM	SI	SI	MP	C	C	d	C	C	X	X	X	P	P	P
	CC	EE	DD	DD	DD	DD	22	22	33	33	33	MI	MI	AS	18	24	SPIC	30	32	38	16	32	PICC	CC18SD	CC18PRO
PIC18F448	G	G	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.11	9.63
PIC18F4458	G	G	G	G	G	G	G	G	G	G	G	G	Y	5.12	3.12	R	R	R	R	1.00	R	R	R	9.51	9.61p11
PIC18F4455	G	G	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35	9.63
PIC18F4450	G	G	G	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50p11	9.63
PIC18F4439	R	R	R	R	R	R	R	R	R	R	R	R	R	3.90	3.35	R	R	R	R	1.00	R	R	R	8.20p14	9.63
PIC18F4431	G	G	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35	9.63
PIC18F4423	G	G	G	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50p12	9.63
PIC18F4420	G	G	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35p11	9.63
PIC18F442	G	G	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.11	9.63
PIC18F4410	G	G	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35p11	9.63
PIC18F43K22	G	G	G	G	R	R	G	G	G	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F43K20	G	G	G	G	R	R	G	G	G	G	G	Y	Y	5.30	3.30	R	R	R	R	1.00	R	R	R	9.51	9.63
PIC18F4331	G	G	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35	9.63
PIC18F4321	G	G	G	G	G	G	G	G	G	G	G	G	Y	4.01	2.43	R	R	R	R	1.00	R	R	R	9.10	9.63
PIC18F4320	G	G	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.20p13	9.63
PIC18F4221	G	G	G	G	G	G	G	G	G	G	G	G	Y	4.01	2.43	R	R	R	R	1.00	R	R	R	9.10	9.63
PIC18F4220	G	G	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.20p13	9.63
PIC18F27J53	G	G	G	G	R	R	G	G	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F27J13	G	G	G	G	R	R	G	G	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F26K80	G	G	G	G	R	R	G	G	G	G	G	Y	Y	5.41	3.38	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F26K22	G	G	G	G	R	R	G	G	G	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F26K20	G	G	G	G	G	G	G	G	G	G	G	G	Y	5.11	3.11	R	R	R	R	1.00	R	R	R	9.51	9.61p11
PIC18F26J53	G	G	G	G	R	R	G	G	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F26J50	G	G	G	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63p13
PIC18F26J13	G	G	G	G	R	R	G	G	G	G	G	Y	Y	5.37	3.36	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F26J11	G	G	G	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63p12
PIC18F2685	G	G	G	G	G	G	G	G	G	G	G	G	Y	5.04	3.04	R	R	R	R	1.00	R	R	R	9.50p12	9.63
PIC18F2682	G	G	G	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50p12	9.63
PIC18F2680	G	G	G	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	8.35	9.63
PIC18F2620	G	G	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35	9.63
PIC18F2610	G	G	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35p11	9.63
PIC18F25K80	G	G	G	G	R	R	G	G	G	G	G	Y	Y	5.41	3.38	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F25K50	R	Y	R	Y	R	R	R	Y	R	Y	Y	Y	Y	5.45	3.42	R	R	R	R	R	R	R	R	R	R
PIC18F25K22	G	G	G	G	R	R	G	G	G	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F25K20	G	G	G	G	G	G	G	G	G	G	G	G	Y	5.10	3.10	R	R	R	R	1.00	R	R	R	9.51	9.63
PIC18F25J50	G	G	G	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63p13
PIC18F25J11	G	G	G	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63p13
PIC18F25J10	G	G	G	G	G	G	G	G	G	G	G	G	Y	4.00	2.42	R	R	R	R	1.00	R	R	R	9.10	9.63
PIC18F2585	G	G	G	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	8.35	9.63
PIC18F2580	G	G	G	G	G	G	G	G	G	G	G	G	Y	5.04	3.04	R	R	R	R	1.00	R	R	R	8.35p13	9.63
PIC18F258	G	G	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.11	9.63
PIC18F2553	G	G	G	G	G	G	G	G	G	G	G	G	Y	5.12	3.12	R	R	R	R	1.00	R	R	R	9.51	9.61p11
PIC18F2550	G	G	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35	9.63
PIC18F2539	R	R	R	R	R	R	R	R	R	R	R	R	R	3.90	3.35	R	R	R	R	1.00	R	R	R	8.20p14	9.63
PIC18F2525	G	G	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35	9.63

"G" Green indicates full, production tested support.

"Y" Yellow indicates preliminary, beta support, not production tested.

Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.

"R" Red indicates no support for this device.

Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.

Device Support 2012-07-03 1241 devices	R	R	I	I	P	P	P	P	S	S	M	C	C	d	C	C	X	X	X	P	P	P	P
	I	I	C	C	K	K	K	K	M	M	P	1	2	s	3	3	C	C	C	I	I	I	I
	CC	CC	DD	DD	22	22	33	33	33	33	8	4	P	0	2	8	16	32	C	C	C	C	
	EE	DD	33	33	DP	DP	DP	DP	33	33	A			P									
	DP	DP	DP	DP	DP	DP	DP	DP	DP	DP													
PIC18F2523	G	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50p12	9.63
PIC18F2520	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35p11	9.63
PIC18F252	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.11	9.63
PIC18F2515	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35p11	9.63
PIC18F2510	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35p11	9.63
PIC18F24K50	R	Y	R	Y	R	R	R	Y	R	Y	Y	5.45	3.42	R	R	R	R	R	R	R	R	R	R
PIC18F24K22	G	G	G	G	R	R	G	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F24K20	G	G	G	G	G	G	G	G	G	G	Y	5.10	3.10	R	R	R	R	1.00	R	R	R	9.51	9.63
PIC18F24J50	G	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63p13
PIC18F24J11	G	G	G	G	G	G	G	G	G	Y	Y	5.30.01	3.30	R	R	R	R	1.00	R	R	R	9.52	9.63p13
PIC18F24J10	G	G	G	G	G	G	G	G	G	G	Y	4.00	2.42	R	R	R	R	1.00	R	R	R	9.10	9.63
PIC18F2480	G	G	G	G	G	G	G	G	G	G	Y	5.04	3.04	R	R	R	R	1.00	R	R	R	8.35p13	9.63
PIC18F248	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.11	9.63
PIC18F2458	G	G	G	G	G	G	G	G	G	G	Y	5.12	3.12	R	R	R	R	1.00	R	R	R	9.51	9.61p11
PIC18F2455	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35	9.63
PIC18F2450	G	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50p11	9.63
PIC18F2439	R	R	R	R	R	R	R	R	R	R	R	3.90	3.35	R	R	R	R	1.00	R	R	R	8.20p14	9.63
PIC18F2431	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35	9.63
PIC18F2423	G	G	G	G	G	G	G	G	G	G	Y	5.05	3.05	R	R	R	R	1.00	R	R	R	9.50p12	9.63
PIC18F2420	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35p11	9.63
PIC18F242	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.11	9.63
PIC18F2410	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35p11	9.63
PIC18F23K22	G	G	G	G	R	R	G	G	G	Y	Y	5.38	3.37	R	R	R	R	1.00	R	R	R	9.52	9.65
PIC18F23K20	G	G	G	G	R	R	G	G	G	Y	Y	5.30	3.30	R	R	R	R	1.00	R	R	R	9.51	9.63
PIC18F2331	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.35	9.63
PIC18F2321	G	G	G	G	G	G	G	G	G	G	Y	4.01	2.43	R	R	R	R	1.00	R	R	R	9.10	9.63
PIC18F2320	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.20p13	9.63
PIC18F2221	G	G	G	G	G	G	G	G	G	G	Y	4.01	2.43	R	R	R	R	1.00	R	R	R	9.10	9.63
PIC18F2220	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.20p13	9.63
PIC18F14K50	G	G	G	G	Y	Y	G	G	G	Y	Y	5.22	3.31	R	R	R	R	1.00	R	R	R	9.51p12	9.61p11
PIC18F14K22LIN	G	G	G	G	R	R	G	G	G	Y	Y	5.42	3.39	R	R	R	R	1.00	R	R	R	R	R
PIC18F14K22	G	G	G	G	Y	Y	G	G	G	Y	Y	5.31	3.31	R	R	R	R	1.00	R	R	R	9.52	9.63p13
PIC18F13K50	G	G	G	G	Y	Y	G	G	G	Y	Y	5.22	3.31	R	R	R	R	1.00	R	R	R	9.51p12	9.61p11
PIC18F13K22	G	G	G	G	R	R	G	G	G	Y	Y	5.31	3.31	R	R	R	R	1.00	R	R	R	9.52	9.63p13
PIC18F1330	G	G	G	G	G	G	G	G	G	G	Y	5.03	3.03	R	R	R	R	1.00	R	R	R	9.50p11	9.63
PIC18F1320	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.20p13	9.63
PIC18F1230	G	G	G	G	G	G	G	G	G	G	Y	5.03	3.03	R	R	R	R	1.00	R	R	R	9.50p11	9.63
PIC18F1220	G	G	G	G	G	G	G	G	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.20p13	9.63
PIC18C858	R	R	R	R	R	R	R	R	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.01p11	9.63
PIC18C801	R	R	R	R	R	R	R	R	G	Y	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.10	9.63
PIC18C658	R	R	R	R	R	R	R	R	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.11	9.63
PIC18C601	R	R	R	R	R	R	R	R	G	Y	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.10	9.63
PIC18C452	R	R	R	R	R	R	R	R	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.11	9.63
PIC18C442	R	R	R	R	R	R	R	R	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.11	9.63
PIC18C252	R	R	R	R	R	R	R	R	G	G	Y	3.90	3.35	R	R	R	R	1.00	R	R	R	8.11	9.63

"G" Green indicates full, production tested support.

"Y" Yellow indicates preliminary, beta support, not production tested.

Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.

"R" Red indicates no support for this device.

Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.

Device Support 2012-07-03 1241 devices	RR	RI	IC	CC	PP	PP	PP	PP	SM	SM	M P A S M	C 1 8	C 2 4	d s P I C	C 3 0	C 3 2	X C 8	X C 1 6	X C 3 2	P I C C	P I C C 1 8 S T D	P I C C 1 8 P R O	
	EE	DD	DD	DD	22	22	33	33	33	33													33
PIC18C242	R	R	R	R	R	R	R	R	R	G	G	Y	3.90	3.35	R	R	R	R	R	R	R	R	9.65
PIC16LF727	G	G	G	G	G	G	G	G	G	G	Y	5.16	R	R	R	R	R	1.00	R	R	9.60p13	R	R
PIC16LF726	G	G	G	G	G	G	G	G	G	G	Y	5.16	R	R	R	R	R	1.00	R	R	9.60p13	R	R
PIC16LF724	G	G	G	G	G	G	G	G	G	G	Y	5.16	R	R	R	R	R	1.00	R	R	9.60p13	R	R
PIC16LF723A	G	G	G	G	R	R	G	G	G	Y	Y	5.37	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16LF723	G	G	G	G	G	G	G	G	G	G	Y	5.16	R	R	R	R	R	1.00	R	R	9.60p13	R	R
PIC16LF722A	G	G	G	G	R	R	G	G	G	Y	Y	5.37	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16LF722	G	G	G	G	G	G	G	G	G	G	Y	5.16	R	R	R	R	R	1.00	R	R	9.60p13	R	R
PIC16LF721	G	G	G	G	R	R	G	G	G	Y	Y	5.38	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16LF720	G	G	G	G	R	R	G	G	G	Y	Y	5.38	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16LF707	G	G	G	G	R	R	G	G	G	Y	Y	5.37	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16LF1947	G	G	G	G	R	R	G	G	G	Y	Y	5.37	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16LF1946	G	G	G	G	R	R	G	G	G	Y	Y	5.37	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16LF1939	G	G	G	G	R	R	G	G	G	Y	Y	3.37	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16LF1938	G	G	G	G	R	R	G	G	G	Y	Y	5.37	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16LF1937	G	G	G	G	R	R	G	G	G	Y	Y	5.32	R	R	R	R	R	1.00	R	R	9.65	R	R
PIC16LF1936	G	G	G	G	R	R	G	G	G	Y	Y	5.32	R	R	R	R	R	1.00	R	R	9.65	R	R
PIC16LF1934	G	G	G	G	R	R	G	G	G	Y	Y	5.32	R	R	R	R	R	1.00	R	R	9.65	R	R
PIC16LF1933	G	G	G	G	R	R	G	G	G	Y	Y	5.32	R	R	R	R	R	1.00	R	R	9.65	R	R
PIC16LF1907	G	G	G	G	R	R	G	G	G	Y	Y	5.42	R	R	R	R	R	1.00	R	R	9.81	R	R
PIC16LF1906	G	G	G	G	R	R	G	G	G	Y	Y	5.42	R	R	R	R	R	1.00	R	R	9.81	R	R
PIC16LF1904	G	G	G	G	R	R	G	G	G	Y	Y	5.42	R	R	R	R	R	1.00	R	R	9.81	R	R
PIC16LF1903	R	G	R	G	R	R	R	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.71p11	R	R
PIC16LF1902	R	G	R	G	R	R	R	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.71p11	R	R
PIC16LF1847	G	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.80	R	R
PIC16LF1829	G	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16LF1828	G	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16LF1827	G	G	G	G	R	R	G	G	G	Y	Y	5.32	R	R	R	R	R	1.00	R	R	9.65p11	R	R
PIC16LF1826	G	G	G	G	R	R	G	G	G	Y	Y	5.32	R	R	R	R	R	1.00	R	R	9.65p11	R	R
PIC16LF1825	G	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16LF1824	G	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16LF1823	G	G	G	G	R	R	G	G	G	Y	Y	5.37	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16LF1787	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	5.45	R	R	R	R	R	R	R	R	R	R	R
PIC16LF1786	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	5.45	R	R	R	R	R	R	R	R	R	R	R
PIC16LF1784	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	5.45	R	R	R	R	R	R	R	R	R	R	R
PIC16LF1783	G	G	G	G	R	R	G	G	G	Y	Y	5.42	R	R	R	R	R	1.00	R	R	9.81	R	R
PIC16LF1782	G	G	G	G	R	R	G	G	G	Y	Y	5.42	R	R	R	R	R	1.00	R	R	9.81	R	R
PIC16LF1527	G	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.71p11	R	R
PIC16LF1526	G	G	G	G	R	R	G	G	G	Y	Y	5.37	R	R	R	R	R	1.00	R	R	9.71p11	R	R
PIC16LF1519	G	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16LF1518	G	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16LF1517	G	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16LF1516	G	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16LF1513	G	G	G	G	R	R	G	G	G	Y	Y	5.36	R	R	R	R	R	1.01	R	R	R	R	R
PIC16LF1512	G	G	G	G	R	R	G	G	G	Y	Y	5.36	R	R	R	R	R	1.01	R	R	R	R	R

"G" Green indicates full, production tested support.

"Y" Yellow indicates preliminary, beta support, not production tested.

Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.

"R" Red indicates no support for this device.

Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.

Device Support 2012-07-03 1241 devices	RI	RI	IC	IC	CC	DD	PP	PP	PP	PP	MM	SI	SI	MP	C	C	d	C	C	X	X	X	P	P	P
	ICEE	ICDD	ICDD	ICDD	CCDD	CCDD	CCDD	CCDD	CCDD	CCDD	CCDD	CCDD	CCDD	CCDD	CCDD	CCDD	CCDD	CCDD	CCDD	CCDD	CCDD	CCDD	CCDD	CCDD	CCDD
PIC16LF1509	G	G	G	G	R	R	G	G	G	Y	Y	5.44	R	R	R	R	R	R	1.00	R	R	9.83	R	R	
PIC16LF1508	G	G	G	G	R	R	G	G	G	Y	Y	5.44	R	R	R	R	R	R	1.00	R	R	9.83	R	R	
PIC16LF1507	G	G	G	G	R	R	G	G	G	Y	Y	5.42	R	R	R	R	R	R	1.00	R	R	9.82	R	R	
PIC16LF1503	G	G	G	G	R	R	G	G	G	Y	Y	5.44	R	R	R	R	R	R	1.00	R	R	9.82	R	R	
PIC16LF1459	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	5.43	R	R	R	R	R	R	1.00	R	R	R	R	R	
PIC16LF1455	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	5.43	R	R	R	R	R	R	1.00	R	R	R	R	R	
PIC16LF1454	R	R	R	R	R	R	R	R	R	Y	Y	R	R	R	R	R	R	R	R	R	R	R	R	R	
PIC16HV785	G	G	G	G	G	G	G	G	G	Y	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16HV616	G	G	G	G	G	G	G	G	G	Y	Y	5.04	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16HV610	G	G	G	G	G	G	G	G	G	Y	Y	5.11	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16HV540	R	R	R	R	R	R	R	R	R	G	G	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F946	G	G	G	G	G	G	G	G	G	Y	Y	4.01	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F917	G	G	G	G	G	G	G	G	G	Y	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F916	G	G	G	G	G	G	G	G	G	Y	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F914	G	G	G	G	G	G	G	G	G	Y	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F913	G	G	G	G	G	G	G	G	G	Y	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F887	G	G	G	G	G	G	G	G	G	Y	Y	5.05	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F886	G	G	G	G	G	G	G	G	G	Y	Y	5.05	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F884	G	G	G	G	G	G	G	G	G	Y	Y	5.05	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F883	G	G	G	G	G	G	G	G	G	Y	Y	5.05	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F882	G	G	G	G	G	G	G	G	G	Y	Y	5.11	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F88	G	G	G	G	G	G	G	G	G	Y	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F877A	G	G	G	G	G	G	G	G	G	Y	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F877	G	G	G	G	G	G	G	G	G	Y	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F876A	G	G	G	G	G	G	G	G	G	Y	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F876	G	G	G	G	G	G	G	G	G	Y	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F874A	G	G	G	G	G	G	G	G	G	Y	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F874	G	G	G	G	G	G	G	G	G	Y	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F873A	G	G	G	G	G	G	G	G	G	Y	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F873	G	G	G	G	G	G	G	G	G	Y	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F872	G	G	G	G	G	G	G	G	G	Y	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F871	G	G	G	G	G	G	G	G	G	Y	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F870	G	G	G	G	G	G	G	G	G	Y	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F87	G	G	G	G	G	G	G	G	G	Y	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F84A	R	G	R	G	R	R	R	G	G	Y	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F84	R	G	R	G	R	R	R	G	G	Y	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F83	R	G	R	G	R	R	R	G	G	Y	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F819	G	G	G	G	G	G	G	G	G	Y	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F818	G	G	G	G	G	G	G	G	G	Y	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F785	G	G	G	G	G	G	G	G	G	Y	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F777	G	G	G	G	G	G	G	G	G	Y	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F77	R	G	R	G	R	R	R	G	G	Y	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F767	G	G	G	G	G	G	G	G	G	Y	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F76	R	G	R	G	R	R	R	G	G	Y	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16F747	G	G	G	G	G	G	G	G	G	Y	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	

"G" Green indicates full, production tested support.

"Y" Yellow indicates preliminary, beta support, not production tested.

Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.

"R" Red indicates no support for this device.

Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.

Device Support 2012-07-03 1241 devices	R	R	I	I	P	P	P	P	S	S	M	C	C	d	C	C	X	X	X	P	P	P	P
	I	I	C	C	K	K	K	K	M	M	P	1	2	s	3	3	C	C	C	C	C	C	C
	EE	DD	DD	DD	2	2	3	3	3	3	A	8	4	P	0	2	8	1	3	1	1	1	1
	DP	DP	DP	DP	D	D	D	D	P	P	S			I									
PIC16F74	R	G	R	G	R	R	R	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F737	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F73	R	G	R	G	R	R	R	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F727	G	G	G	G	G	R	G	G	G	G	Y	5.16	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F726	G	G	G	G	G	G	G	G	G	G	Y	5.16	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F724	G	G	G	G	G	G	G	G	G	G	Y	5.16	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F723A	G	G	G	G	R	R	G	G	G	Y	Y	5.37	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16F723	G	G	G	G	G	R	G	G	G	G	Y	5.16	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F722A	G	G	G	G	R	R	G	G	G	Y	Y	5.37	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16F722	G	G	G	G	G	G	G	G	G	G	Y	5.16	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F721	G	G	G	G	R	R	G	G	G	Y	Y	5.38	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16F720	G	G	G	G	R	R	G	G	G	Y	Y	5.38	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16F72	R	G	R	G	R	R	R	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F716	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F707	G	G	G	G	R	R	G	G	G	Y	Y	5.37	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F690	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F689	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F688	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F687	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F685	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F684	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F677	G	G	G	G	G	G	G	G	G	G	Y	5.04	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F676	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F648A	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F639	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F636	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F631	G	G	G	G	G	G	G	G	G	G	Y	5.04	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F630	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F628A	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F628	R	G	R	G	R	R	R	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F627A	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F627	R	G	R	G	R	R	R	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F616	G	G	G	G	G	G	G	G	G	G	Y	5.04	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F610	G	G	G	G	G	G	G	G	G	G	Y	5.10	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F59	R	G	R	G	R	R	R	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F57	R	G	R	G	R	R	R	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F54	R	G	R	G	R	R	R	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F527	R	R	R	R	R	R	R	R	R	Y	Y	5.45	R	R	R	R	R	R	R	R	R	R	R
PIC16F526	G	G	G	G	R	R	G	G	G	G	Y	5.15	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F506	G	G	G	G	G	G	G	G	G	G	Y	3.90.01	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F505	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F1947	G	G	G	G	R	R	G	G	G	Y	Y	5.37	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F1946	G	G	G	G	R	R	G	G	G	Y	Y	5.37	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F1939	G	G	G	G	R	R	G	G	G	Y	Y	5.37	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F1938	G	G	G	G	R	R	G	G	G	Y	Y	5.37	R	R	R	R	R	1.00	R	R	9.70	R	R

"G" Green indicates full, production tested support.

"Y" Yellow indicates preliminary, beta support, not production tested.
 Yellow light support is often intended for early adopters of new parts
 who need quick support and understand that some operations or functions may not be available.

"R" Red indicates no support for this device.
 Support may be forthcoming or inappropriate for the tool, compiler or device,
 e.g., PIC24 devices cannot be supported by XC32 compiler.

Device Support 2012-07-03 1241 devices	R I C C E D P	R I C C D D P	I C C D D P	P K K 2 D	P K K 2 D	P K K 3 D	P K K 3 D	P M 3	S I M I S A	S I M P	M P A S M	C 1 8	C 2 4	d s P I C	C 3 0	C 3 2	X C 8	X C 1 6	X C 3 2	P I C C	P I C C 1 8 S T D	P I C C 1 8 P R O	
PIC16F1937	G	G	G	G	R	R	G	G	G	Y	Y	5.32	R	R	R	R	R	1.00	R	R	9.65	R	R
PIC16F1936	G	G	G	G	R	R	G	G	G	Y	Y	5.32	R	R	R	R	R	1.00	R	R	9.65	R	R
PIC16F1934	G	G	G	G	R	R	G	G	G	Y	Y	5.32	R	R	R	R	R	1.00	R	R	9.65	R	R
PIC16F1933	G	G	G	G	R	R	G	G	G	Y	Y	5.32	R	R	R	R	R	1.00	R	R	9.65	R	R
PIC16F1847	G	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.80	R	R
PIC16F1829	G	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16F1828	G	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16F1827	G	G	G	G	R	R	G	G	G	Y	Y	5.31	R	R	R	R	R	1.00	R	R	9.65p11	R	R
PIC16F1826	G	G	G	G	R	R	G	G	G	Y	Y	5.32	R	R	R	R	R	1.00	R	R	9.65p11	R	R
PIC16F1825	G	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16F1824	G	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16F1823	G	G	G	G	R	R	G	G	G	Y	Y	5.37	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16F1787	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	5.45	R	R	R	R	R	R	R	R	R	R	R
PIC16F1786	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	5.45	R	R	R	R	R	R	R	R	R	R	R
PIC16F1784	Y	Y	Y	Y	R	R	Y	Y	R	Y	Y	5.45	R	R	R	R	R	1.00	R	R	R	R	R
PIC16F1783	G	G	G	G	R	R	G	G	G	Y	Y	5.42	R	R	R	R	R	1.00	R	R	9.81	R	R
PIC16F1782	G	G	G	G	R	R	G	G	G	Y	Y	5.42	R	R	R	R	R	1.00	R	R	9.81	R	R
PIC16F1527	G	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16F1526	G	G	G	G	R	R	G	G	G	Y	Y	5.37	R	R	R	R	R	1.00	R	R	9.71p11	R	R
PIC16F1519	G	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16F1518	G	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16F1517	G	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16F1516	G	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	1.00	R	R	9.71	R	R
PIC16F1513	G	G	G	G	R	R	G	G	G	Y	Y	G	R	R	R	R	R	1.01	R	R	R	R	R
PIC16F1512	G	G	G	G	R	R	G	G	G	Y	Y	5.36	R	R	R	R	R	1.01	R	R	R	R	R
PIC16F1509	G	G	G	G	R	R	G	G	G	Y	Y	5.44	R	R	R	R	R	1.00	R	R	9.83	R	R
PIC16F1508	G	G	G	G	R	R	G	G	G	Y	Y	5.44	R	R	R	R	R	1.00	R	R	9.83	R	R
PIC16F1507	G	G	G	G	R	R	G	G	G	Y	Y	5.42	R	R	R	R	R	1.00	R	R	9.82	R	R
PIC16F1503	G	G	G	G	R	R	G	G	G	Y	Y	5.44	R	R	R	R	R	1.00	R	R	9.82	R	R
PIC16F1459	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	5.43	R	R	R	R	R	1.00	R	R	R	R	R
PIC16F1455	Y	Y	Y	Y	R	R	Y	Y	Y	Y	Y	5.43	R	R	R	R	R	1.00	R	R	R	R	R
PIC16F1454	R	R	R	R	R	R	R	R	R	Y	Y	R	R	R	R	R	R	R	R	R	R	R	R
PIC16CR926	R	R	R	R	R	R	R	R	G	Y	Y	3.90	R	R	R	R	R	1.00	R	R	9.65p11	R	R
PIC16CR84	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16CR83	R	R	R	R	R	R	R	Y	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16CR77	R	R	R	R	R	R	R	G	Y	Y	5.45	R	R	R	R	R	1.00	R	R	9.65p11	R	R	
PIC16CR76	R	R	R	R	R	R	R	Y	Y	Y	5.45	R	R	R	R	R	1.00	R	R	9.65p11	R	R	
PIC16CR74	R	R	R	R	R	R	R	G	Y	Y	5.45	R	R	R	R	R	1.00	R	R	9.65p11	R	R	
PIC16CR73	R	R	R	R	R	R	R	Y	Y	Y	5.45	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16CR72	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16CR65	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16CR64	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16CR63	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16CR620A	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC16CR62	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	1.00	R	R	9.70	R	R	

"G" Green indicates full, production tested support.

"Y" Yellow indicates preliminary, beta support, not production tested.

Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.

"R" Red indicates no support for this device.

Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.

Device Support 2012-07-03 1241 devices	RR	RI	IC	CC	PP	PP	PP	PP	SM	SM	MP	C	C	d	C	C	X	X	X	P	P	P	P		
	IC	IC	CD	DD	22	22	33	33	33	33	AS	18	24	SPIC	30	32	XC8	XC16	XC32	PICC	PIC18	PIC18	PRO		
	EE	DD	DD	DD	DD	DD	DD	DD	DD	DD	AS	18	24	IC	30	32	XC8	XC16	XC32	PICC	PIC18	PIC18	PRO		
	DP	DP	DP	DP	DP	DP	DP	DP	DP	DP	AS	18	24	IC	30	32	XC8	XC16	XC32	PICC	PIC18	PIC18	PRO		
PIC16CR58B	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16CR57C	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16CR56A	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16CR54C	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16CR54A	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16CR54	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16CE625	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16CE624	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16CE623	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C926	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C925	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C924	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C923	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C782	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C781	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C774	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C773	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C771	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C770	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C77	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C765	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C76	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C74B	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C74A	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C745	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C73B	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C73A	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C72A	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C72	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C717	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C716	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C715	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C712	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C711	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C710	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C71	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C67	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C662	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C66	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C65B	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C65A	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C64A	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C642	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C63A	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C63	R	R	R	R	R	R	R	R	R	R	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R

"G" Green indicates full, production tested support.

"Y" Yellow indicates preliminary, beta support, not production tested.

Yellow light support is often intended for early adopters of new parts who need quick support and understand that some operations or functions may not be available.

"R" Red indicates no support for this device.

Support may be forthcoming or inappropriate for the tool, compiler or device, e.g., PIC24 devices cannot be supported by XC32 compiler.

Device Support 2012-07-03 1241 devices	RR	RI	IC	CC	PP	PP	PP	PP	SM	SM	MP	C	C	d	C	C	X	X	X	P	P	P	P		
	IC	IC	CD	CD	22	22	33	33	33	33	AS	18	24	SPIC	30	32	8	16	32	PIC	C18	C18	STD	PRO	
DD	DD	DD	DD	DD	DD	DD	DD	DD	DD	DD	AS	18	24	IC	30	32	8	16	32	PIC	C18	C18	STD	PRO	
EE	EE	EE	EE	EE	EE	EE	EE	EE	EE	EE	AS	18	24	IC	30	32	8	16	32	PIC	C18	C18	STD	PRO	
DP	DP	DP	DP	DP	DP	DP	DP	DP	DP	DP	AS	18	24	IC	30	32	8	16	32	PIC	C18	C18	STD	PRO	
PIC16C62B	R	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C62A	R	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C622A	R	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C622	R	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C621A	R	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C621	R	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C620A	R	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C620	R	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C58B	R	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C58A	R	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C57C	R	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C57	R	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C56A	R	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C56	R	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C55A	R	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C558	R	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C557	R	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C554	R	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C55	R	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C54C	R	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C54	R	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C505	R	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C433	R	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC16C432	R	R	R	R	R	R	R	R	R	G	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R
PIC12LF1840T48A	G	G	G	G	R	R	G	G	G	Y	Y	5.42	R	R	R	R	R	R	1.00	R	R	9.82	R	R	
PIC12LF1840T39A	G	G	G	G	R	R	G	G	G	Y	Y	5.42	R	R	R	R	R	R	R	R	R	R	R	R	R
PIC12LF1840	G	G	G	G	R	R	G	G	G	Y	Y	5.41	R	R	R	R	R	R	1.00	R	R	9.71	R	R	
PIC12LF1822	G	G	G	G	R	R	G	G	G	Y	Y	5.37	R	R	R	R	R	R	1.00	R	R	9.70	R	R	
PIC12LF1552	R	R	R	R	R	R	R	R	R	Y	Y	5.45	R	R	R	R	R	R	R	R	R	R	R	R	R
PIC12LF1501	G	G	G	G	R	R	G	G	G	Y	Y	5.44	R	R	R	R	R	R	1.00	R	R	R	R	R	R
PIC12HV752	G	G	G	G	R	R	G	G	G	Y	Y	5.40	R	R	R	R	R	R	1.00	R	R	9.81	R	R	R
PIC12HV615	G	G	G	G	G	G	G	G	G	G	Y	5.11	R	R	R	R	R	R	1.00	R	R	9.70	R	R	R
PIC12HV609	G	G	G	G	G	G	G	G	G	G	Y	5.11	R	R	R	R	R	R	1.00	R	R	9.70	R	R	R
PIC12F752	G	G	G	G	R	R	G	G	G	Y	Y	5.40	R	R	R	R	R	R	1.00	R	R	9.81	R	R	R
PIC12F683	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	R
PIC12F675	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	R
PIC12F635	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	R
PIC12F629	G	G	G	G	G	G	G	G	G	G	Y	3.90	R	R	R	R	R	R	1.00	R	R	9.70	R	R	R
PIC12F617	G	G	G	G	R	R	G	G	G	Y	Y	5.35	R	R	R	R	R	R	1.00	R	R	9.70	R	R	R
PIC12F615	G	G	G	G	G	G	G	G	G	G	Y	5.10	R	R	R	R	R	R	1.00	R	R	9.70	R	R	R
PIC12F609	G	G	G	G	G	G	G	G	G	G	Y	5.10	R	R	R	R	R	R	1.00	R	R	9.60	R	R	R
PIC12F529T48A	R	G	R	G	R	R	R	G	G	Y	Y	5.45	R	R	R	R	R	R	1.00	R	R	R	R	R	R
PIC12F529T39A	R	G	R	G	R	R	R	G	G	Y	Y	5.45	R	R	R	R	R	R	1.00	R	R	R	R	R	R
PIC12F519	G	G	G	G	R	R	G	G	G	G	Y	5.13	R	R	R	R	R	R	1.00	R	R	9.70	R	R	R
PIC12F510	G	G	G	G	G	G	G	G	G	G	Y	3.90.01	R	R	R	R	R	R	1.00	R	R	9.70	R	R	R

