

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0638111000](#)
Status: **Active**
Description: Hand Crimper - DISTRIBUTION ONLY

Documents:
[Related Catalog Page \(PDF\)](#)


General

Product Family	Application Tooling
Series	T0815
Comments	DISTRIBUTION ONLY
Function	Crimp
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Product Name	N/A
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Handtool

Material Info

Reference - Drawing Numbers

Application Tooling Specification	ATS-638000029
Application Tooling Specification	ATS-638000029SP
Sales Drawing	638111000



EU RoHS	China RoHS
RoHS Compliance	
Not Required	
REACH SVHC	
Not Reviewed	

Need more information on product environmental compliance?

Email productcompliance@molex.com
Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

[T0815 Series](#)

Application Tooling

Description	Product #
1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Reel	0002061101
1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel	0002061131
1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with 0.76µm (30µ")	0002065101

Gold (Au) Plated
Brass Contact, 18-24
AWG, Reel
2.36mm (.093") 0002092101
Diameter,
Standard .093" Pin
and Socket Crimp
Terminal, Series
1190, Male, with Tin
(Sn) Plated Brass
Contact, 14-20 AWG,
Reel
2.36mm (.093") 0002092103
Diameter,
Standard .093" Pin
and Socket Crimp
Terminal, Series
1190, Male, with Tin
(Sn) Plated Brass
Contact, 14-20 AWG,
Bag
1.57mm (.062") 0002062101
Diameter,
Standard .062" Pin
and Socket Crimp
Terminal, Series
1560, Male, with Tin
(Sn) Plated Brass
Contact, 18-24 AWG,
Reel
1.57mm (.062") 0002062103
Diameter,
Standard .062" Pin
and Socket Crimp
Terminal, Series
1560, Male, with Tin
(Sn) Plated Brass
Contact, 18-24 AWG,
Bag
1.57mm (.062") 0002062131
Diameter,
Standard .062" Pin
and Socket Crimp
Terminal, Series
1854, Male, with Tin
(Sn) Plated Brass
Contact, 24-30 AWG,
Reel
1.57mm (.062") 0002066101
Diameter,
Standard .062"
Pin and Socket
Crimp Terminal,
Series 1560, Male,
with .76µm (30µ")
Selective Gold
(Au) Plated Brass
Contact, 18-24 AWG,
Reel Packaged
2.36mm (.093") 0002091102
Diameter,
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female, with

Tin (Sn) Plated Brass
Contact, 14-20 AWG,
Reel
2.36mm (.093") 0002091104
Diameter,
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female, with
Tin (Sn) Plated Brass
Contact, 14-20 AWG,
Bag
1.57mm (.062") 0002065108
Diameter,
Standard .062" Pin
and Socket Crimp
Terminal, Female,
with Selective Gold
(Au) Plated Brass
Contact, 18-24 AWG,
Reel
1.57mm (.062") 0002066130
Diameter,
Standard .062" Pin
and Socket Crimp
Terminal, Series
1854, Male, with
Gold (Au) Plated
Brass Contact, 24-30
AWG, Reel
2.36mm (.093") 0002092141
Diameter,
Standard .093" Pin
and Socket Crimp
Terminal, Series
1434, Male, with Tin
(Sn) Plated Brass
Contact, 24-30 AWG,
Reel
2.36mm (.093") 0002092143
Diameter,
Standard .093" Pin
and Socket Crimp
Terminal, Series
1434, Male, with Tin
(Sn) Plated Brass
Contact, 24-30 AWG,
Bag
2.36mm (.093") 0002095100
Diameter,
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female, with
Gold (Au) Plated
Brass Contact, 14-20
AWG, Reel
2.36mm (.093") 0002095102
Diameter,
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female, with
Selective Gold
(Au) Plated Brass

Contact, 14-20 AWG,
Reel
2.36mm (.093") 0002095106
Diameter,
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female, with
Gold (Au) Plated
Brass Contact, 14-20
AWG, Bag
2.36mm (.093") 0002095111
Diameter,
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female, with
Selective Gold
(Au) Plated Brass
Contact, 14-20 AWG,
Bag
2.36mm (.093") 0002095146
Diameter,
Standard .093" Pin
and Socket Crimp
Terminal, Series
1433, Female, with
Gold (Au) Plated
Brass Contact, 24-30
AWG, Reel
2.36mm (.093") 0002095147
Diameter,
Standard .093" Pin
and Socket Crimp
Terminal, Series
1433, Female, with
Gold (Au) Plated
Brass Contact, 24-30
AWG, Bag
2.36mm (.093") 0002096100
Diameter,
Standard .093" Pin
and Socket Crimp
Terminal, Series
1190, Male, with
Gold (Au) Plated
Brass Contact, 14-20
AWG, Reel
2.36mm (.093") 0002096101
Diameter,
Standard .093" Pin
and Socket Crimp
Terminal, Series
1190, Male, with
Selective Gold
(Au) Plated Brass
Contact, 14-20 AWG,
Reel
2.36mm (.093") 0002096106
Diameter,
Standard .093" Pin
and Socket Crimp
Terminal, Series
1190, Male, with
Gold (Au) Plated

Brass Contact, 14-20
AWG, Bag
2.36mm (.093") 0002096110
Diameter,
Standard .093" Pin
and Socket Crimp
Terminal, Series
1190, Male, with
Selective Gold
(Au) Plated Brass
Contact, 14-20 AWG,
Bag
2.36mm (.093") 0002096144
Diameter,
Standard .093" Pin
and Socket Crimp
Terminal, Series
1434, Male, with
Gold (Au) Plated
Brass Contact, 24-30
AWG, Reel
2.36mm (.093") 0002096145
Diameter,
Standard .093" Pin
and Socket Crimp
Terminal, Series
1434, Male, with
Gold (Au) Plated
Brass Contact, 24-30
AWG, Bag
1.57mm (.062") 0002062132
Diameter,
Standard .062" Pin
and Socket Crimp
Terminal, Series
1854, Male, with Tin
(Sn) Plated Brass
Contact, 24-30 AWG,
Bag
1.57mm (.062") 0002065100
Diameter,
Standard .062" Pin
and Socket Crimp
Terminal, Female,
with 0.38 μ m (15 μ "")
Gold (Au) Plated
Brass Contact, 18-24
AWG, Reel
1.57mm (.062") 0002065102
Diameter,
Standard .062" Pin
and Socket Crimp
Terminal, Female,
with 0.76 μ m (30 μ "")
Gold (Au) Plated
Brass Contact, 18-24
AWG, Bag
1.57mm (.062") 0002065103
Diameter,
Standard .062" Pin
and Socket Crimp
Terminal, Female,
with 0.38 μ m (15 μ "")
Gold (Au) Plated

Brass Contact, 18-24
AWG, Bag
1.57mm (.062") 0002065109
Diameter,
Standard .062" Pin
and Socket Crimp
Terminal, Female,
with Selective Gold
(Au) Plated Brass
Contact, 18-24 AWG,
Bag
1.57mm (.062") 0002065130
Diameter,
Standard .062" Pin
and Socket Crimp
Terminal, Series
1855, Female, with
0.38 μ m (15 μ ") Gold
(Au) Plated Brass
Contact, 24-30 AWG,
Reel
1.57mm (.062") 0002065135
Diameter,
Standard .062" Pin
and Socket Crimp
Terminal, Series
1855, Female, with
0.38 μ m (15 μ ") Gold
(Au) Plated Brass
Contact, 24-30 AWG,
Bag
1.57mm (.062") 0002065138
Diameter,
Standard .062" Pin
and Socket Crimp
Terminal, Series
1855, Female, with
0.76 μ m (30 μ ") Gold
(Au) Plated Brass
Contact, 24-30 AWG,
Reel
1.57mm (.062") 0002065139
Diameter,
Standard .062" Pin
and Socket Crimp
Terminal, Series
1855, Female, with
0.76 μ m (30 μ ") Gold
(Au) Plated Brass
Contact, 24-30 AWG,
Bag
1.57mm (.062") 0002065147
Diameter,
Standard .062" Pin
and Socket Crimp
Terminal, Series
1855, Female, with
Selective Gold
(Au) Plated Brass
Contact, 24-30 AWG,
Reel
1.57mm (.062") 0002065148
Diameter,
Standard .062" Pin
and Socket Crimp

Terminal, Series
1855, Female, with
Selective Gold
(Au) Plated Brass
Contact, 24-30 AWG,
Bag
1.57mm (.062") 0002066100
Diameter,
Standard .062" Pin
and Socket Crimp
Terminal, Series
1560, Male, with
Gold (Au) Plated
Brass Contact, 18-24
AWG, Reel
1.57mm (.062") 0002066102
Diameter,
Standard .062"
Pin and Socket
Crimp Terminal,
Series 1560, Male,
with .76µm (30µ")
Selective Gold
(Au) Plated Brass
Contact, 18-24 AWG,
Bag Packaged
1.57mm (.062") 0002066103
Diameter,
Standard .062" Pin
and Socket Crimp
Terminal, Series
1560, Male, with
Gold (Au) Plated
Brass Contact, 18-24
AWG, Bag
1.57mm (.062") 0002066118
Diameter,
Standard .062" Pin
and Socket Crimp
Terminal, Series
1560, Male, with
Selective Gold
(Au) Plated Brass
Contact, Tin/Lead
Plated Crimp Area,
18-24 AWG, Reel
1.57mm (.062") 0002066119
Diameter,
Standard .062" Pin
and Socket Crimp
Terminal, Series
1560, Male, with
Selective Gold
(Au) Plated Brass
Contact, Tin/Lead
Plated Crimp Area,
18-24 AWG, Bag
1.57mm (.062") 0002066135
Diameter,
Standard .062" Pin
and Socket Crimp
Terminal, Series
1854, Male, with
Gold (Au) Plated

Brass Contact, 24-30
AWG, Bag
1.57mm (.062") 0002066138
Diameter,
Standard .062" Pin
and Socket Crimp
Terminal, Series
1854, Male, with
Selective Gold
(Au) Plated Brass
Contact, 24-30 AWG,
Reel
1.57mm (.062") 0002066139
Diameter,
Standard .062" Pin
and Socket Crimp
Terminal, Series
1854, Male, with
Selective Gold
(Au) Plated Brass
Contact, 24-30 AWG,
Bag
1.57mm (.062") 0002066143
Diameter,
Standard .062" Pin
and Socket Crimp
Terminal, Series
1854, Male, with
Selective Gold
(Au) Plated Brass
Contact, Tin (Sn)
Plated Crimp Area,
24-30 AWG, Reel
1.57mm (.062") 0002066144
Diameter,
Standard .062" Pin
and Socket Crimp
Terminal, Series
1854, Male, with
Selective Gold
(Au) Plated Brass
Contact, Tin (Sn)
Plated Crimp Area,
24-30 AWG, Bag
2.36mm (.093") 0002091142
Diameter,
Standard .093" Pin
and Socket Crimp
Terminal, Series
1433, Female, with
Tin (Sn) Plated Brass
Contact, 24-30 AWG,
Reel
2.36mm (.093") 0002091144
Diameter,
Standard .093" Pin
and Socket Crimp
Terminal, Series
1433, Female, with
Tin (Sn) Plated Brass
Contact, 24-30 AWG,
Bag

This document was generated on 09/09/2009

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION